

FAIR PROMOTION



Greenworld™
Quality Agriculture & Garden Products

You are welcome to visit us! Our booth:

Brush Cutter Acce

- * Brush cutting blades
- * Trimmer head
- * Trimmer lines
- ...



This supplier has been audited by the SGS Group.

Copyright JIANGSU GUOTAI INT'L GROUP HUATAI IMP & EXP All rights reserved.

JIANGSU GUOTAI INT'L GROUP HUATAI IMP.& EXP. CO.,LTD.

15-16/F,HUACHANG ORIENTAL PLAZA, RENMIN ROAD., ZHANGJIAGANG CITY, JIANGSU PROV. CHINA

TEL:0086-512-58696069,58696068, FAX:0086-512-58696937 E-MAIL:info@toolchina.com

Express Tracking:





#11110 Grass brush cutting blade

*Size: 300 X 2T X 1.6 X 25.4
 *Packing available: color sleeve



#11111 Grass brush cutting blade

*Size: 300 X 2T X 1.6 X 25.4
 *Packing available: color sleeve



#11112 Grass brush cutting blade

*Size: 300 X 2T X 1.6
 *Packing available: color sleeve



#11113 Grass brush cutting blade

*Size: 300 X 2T X 1.6 X 25.4
 *Packing available: color sleeve



#11114 Grass brush cutting blade

*Size: 300 X 2T X 1.6 X 25.4
 *Packing available: color sleeve



#11115 Brush Cutting Blade 2T

Size: 200X3X2TX20
 *Packing: Color box
 *Inner/Master: -/100, CBM:0.008M3



#11125 Grass brush cutting blade

*Size: 10" X 3T X 1.6 X 25.4
 *Packing available: color sleeve



#11126 Grass brush cutting blade

*Size: 9" X 3T X 1.6 x 25.4
 *Packing available: color sleeve



#11127 Grass brush cutting blade

*Size: 10" X 3T X 1.6 x 25.4
 *Packing available: color sleeve



#11130 Grass brush cutting blade

*Size: 9" X 4T X 1.6 x 25.4
 *Packing available: color sleeve



#11131 Grass brush cutting blade

*Size: 10" X 4T X 1.6 x 25.4
 *Packing available: color sleeve



#11132 Brush Cutting Blade 6T

Size: 100X2.5X6TX25.4
 *Packing: Color box
 *Inner/Master: -/100, CBM:0.020M3



#11135 Grass brush cutting blade

*Size" 9" X 40T X 1.6
 *Packing available: color sleeve



#11136 Grass brush cutting blade

*Size" 9" X 80T X 1.6
 *Packing available: color sleeve



#11140 Alloy grass brush cutting blade

*Size:10"x 60Tx25.4mm,
 10"x40Tx25.4mm
 *Packing available: color sleeve



#11141 Alloy Steel Grass Brush Cutting blade

*Size: 9"x 40Tx25.4mm,
 10"x40Tx25.4mm
 *Packing : Color Sleeve



#11142 Alloy grass brush cutting blade

*Size:10"X 40T X 25.4MM
 *Packing available: color sleeve



#11143 Alloy grass brush cutting blade

*Size:10"X 36T X 25.4MM
 *Packing available: color sleeve



TAP-N-GO TRIMMER HEADS #11221


Line tensioning system with split spool reduces head vibration.

Smooth and durable, the large bottom cover taps on ground to advance line and allows head to glide while trimming

Large durable eyelets enhance line life.

Trimmer head is pre-wound with .095 inch (2.4mm) Helicoidal trimmer line.

Fits most straight shaft trimmers and brushcutters.



RELOAD TRIMMER LINE IN 3 EASY STEPS



Step 1:
Align arrow on knob with eyelet.

knob
eyelet



Step 2:
Feed approximately 12' of trimmer line through eyelet.



Step 3:
Reload by simply turning large knob on top of trimmer head and cutting line to equal lengths.

PRODUCT INFORMATION

PART NUMBER	DESCRIPTION
55-265	Speed-Feed Trimmer Head with bolts for 7MM LH, 8MM LH, 10MM LH


REPLACEMENT PARTS

NO.	PART NUMBER	DESCRIPTION	QTY.
1	55-348	Spool LH	1
2	55-287	Bushing 10 mm x 1.25 LH	1
2a	55-288	Bushing 10 mm x 1.0 LH	1
2b	55-289	Bushing 8 mm x 1.25 LH	1
3	55-346	Knob	1
4	55-295	Core	1
5	55-347	Eyelet Carrier	1
6	55-336	Eyelet	2
7	55-339	Cap	1
8	55-344	Spring	1
9	55-349	Cover	1
10	55-337	Stud 7mm x 1.0 LH	1
11	55-338	Stud 8mm x 1.25 LH	1
12	55-339	Stud 10mm x 1.25 LH	1



TAP-N-GO TRIMMER HEADS #11204


Popular, Semi-automatic("Tap-n-go") Dual-line head, fit universal curved shaft brush cutter:



Spare parts

1	5070401	Screw
2	5070402	Upper cover
3	5070403	Spool without line
4	5070404	Line retainer
5	5070405	Spring
6	5070406	Adaptor M 8x1.25 Left female
	5070407	Adaptor M 8x1.25 Left male
	5070408	Adaptor M 8x1.25 Right male
7	5070409	Under cover
STANDARD PACKING: SLEEVE		
Q.TY PER CARTON: 75 PIECES		

MANUAL TRIMMER HEADS #11205-A



#11205-B



LINE KNOB TRIANGLE KNOB


Spare parts

1	5070501	Knob(Line knob or Triangle knob)
2	5070502	Spring
3	5070503	Spool without line
4	5070504	Line retainer
5	5070505	Housing
6	5070506	Drive Bolt
6a	5070507	Adaptor M 7x1.00 Left male
6b	5070508	Adaptor M 8x1.25 Left male
6c	5070509	Adaptor M 8x1.25 Left female
6d	5070510	Adaptor M 10x1.00 Left female (fits ST only)
6e	5070511	Adaptor M 10x1.25 Left female
6f	5070512	Adaptor M 10x1.25 Left male
6g	5070513	Adaptor M 10x1.50 Left male
6h	5070514	Adaptor M 12x1.50 Left female
6i	5070515	Adaptor M 12x1.75 Left female
6j	5070516	Adaptor M 14x1.50 Left female (fits ST only)
STANDARD PACKING: SLEEVE		
Q.TY PER CARTON: 40 PIECES		



HEAVY DUTY
TAP-N-GO TRIMMER HEADS #11206

New heavy-duty, semi-automatic $\varnothing 130$ mm, M10x1.25 or M8.0x1.25 left-hand male or female shaft thread, with $\varnothing 2.40$ or $\varnothing 3.00$ mm line. Suitable for Trimmer/Brushcutters up to 51cc. Specific adaptor bolt included. Adaptor bolts available to fit most brands and models




Spare parts

1	5070601	Upper cover
2	5070602	Spool without line
3	5070603	Line retainer
4	5070604	Spring
5	5070605	Adaptor M 8x1.25 Left male (fits EMAK only)
	5070606	Adaptor M 8x1.25 Left female
	5070607	Adaptor M 8x1.25 Left male
	5070608	Adaptor M 10x1.00 Left female (fits ST only)
	5070609	Adaptor M 10x1.25 Left female
	5070610	Adaptor M 10x1.25 Left male
	5070611	Adaptor M 10x1.50 Left male
	5070612	Adaptor M 12x1.50 Left female
	5070613	Adaptor M 12x1.75 Left female
	5070615	Adaptor M 14x1.50 Left female (fits ST only)
6	5070616	Housing
		STANDARD PACKING: SLEEVE
		Q.TY PER CARTON: 40 PIECES

UNIVERSAL
TAP-N-GO TRIMMER HEADS #11207

Semi-automatic head "pro universal", Tap-n-go double line head, universal mounting without adapter, Line spool with zink plated still insert. Extreme wear resistance. Spool can load 6 meters of round nylon line $\varnothing 2.4$ mm for professional users.




Spare parts

1	5070701	Kit of adaptor washers and reduction rings
2	5070702	Spool without line - $\varnothing 109$
2a	5070703	Spool without line - $\varnothing 130$
3	5070704	Spring - $\varnothing 109$
3a	5070705	Spring - $\varnothing 130$
4	5070706	Line retainer
5	5070707	Lower cover - $\varnothing 109$
5a	5070708	Lower cover - $\varnothing 130$
		STANDARD PACKING: SLEEVE
		Q.TY PER CARTON: 40 PIECES

TAP-N-GO TRIMMER HEADS #11208

Double line, for cutting and thinning. The nylon line is fed by tapping the cutting head on the ground. Comes standard on many trimmers. Adaptor bolts available to fit most of brush cutter, and detail is following:



Spare parts


1	5070801	Upper cover
2	5070802	Top cover
3	5070803	Spool without line
4	5070804	Line retainer
5	5070805	Spring
6	5070806	Adaptor M 8x1.25 Left male (fits EFCO only)
	5070807	Adaptor M 8x1.25 Left female
	5070808	Adaptor M 8x1.25 Left male
	5070809	Adaptor M 8x1.25 Right male
	5070810	Adaptor M 10x1.00 Left female (fits ST only)
	5070811	Adaptor M 10x1.25 Left female
6	5070812	Adaptor M 10x1.25 Left female (fits HU only)
	5070813	Adaptor M 10x1.25 Left male
	5070814	Adaptor M 10x1.50 Left male (fits MC only)
	5070815	Adaptor M 10x1.50 Left female (fits HU only)
	5070816	Adaptor M 12x1.50 Left female
	5070817	Adaptor M 12x1.75 Left female (fits HU only)
	5070818	Adaptor M 14x1.50 Left female (fits ST only)
7	5070819	Under cover
		STANDARD PACKING: SLEEVE
		Q.TY PER CARTON: 56 PIECES



STIHL 25-2 TAP-N-GO TRIMMER HEADS #11209

Double line, for cutting and thinning. The nylon line is fed by tapping the cutting head on the ground. Comes standard on many trimmers.

Adaptor bolts available to fit most of brush cutter and detail is following:




Spare parts

1	5070801	Upper cover
2	5070802	Spool without line
3	5070803	Line retainer
4	5070804	Spring
5	5070805	Adaptor M 10x1.00 Left female (fits ST only)
	5070806	Adaptor M 10x1.25 Left female
	5070807	Housing
	5070808	STANDARD PACKING: SLEEVE
		Q.TY PER CARTON: 40 PIECES

TAP-N-GO TRIMMER HEADS #11210

Heavy-duty, tap-and-go string trimmer head. A metal insert in the nylon tap knob extends the head's life by reducing wear and abrasion to the nylon. The tap knob also has a "stay-on" spring, so users never have to crawl around in the grass looking for a spring that popped out. Two split spools make refilling easy and reduce the chance of twining or welding. The eyelet through which the line is threaded is made of aluminum for longer life, and it is replaceable for easy servicing and lower operating costs.




Spare parts

1	5080111	Upper cover
2	5080112	Spool without line
3	5080113	Line retainer
4	5080114	Spring
	5080115	Adaptor M 8x1.25 Left female
	5080116	Adaptor M 8x1.25 Left male
	5080117	Adaptor M 10x1.00 Left female (fits ST only)
	5080118	Adaptor M 10x1.25 Left female
	5080119	Adaptor M 10x1.25 Left male
	5080120	Adaptor M 10x1.50 Left female (fits MC only)
	5080121	Adaptor M 10x1.50 Left female (fits HU only)
	5080122	Adaptor M 12x1.50 Left female
	5080123	Adaptor M 12x1.75 Left female (fits HU only)
	5080124	Adaptor M 14x1.50 Left female (fits ST only)
6	5080125	Housing
		STANDARD PACKING: SLEEVE
		Q.TY PER CARTON: 40 PIECES

TAP-N-GO TRIMMER HEADS #11211

Double line, for cutting and thinning. The nylon line is fed by tapping the cutting head on the ground. Comes standard on many trimmers.

Adaptor bolts available to fit most of brush cutter, and detail is following:



Spare parts


1	5080121	Knob
2	5080122	Spool without line
3	5080123	Line retainer
4	5080124	Spring
5	5080125	Housing
6	5080126	Adaptor M 8x1.25 Left male
	5080127	Adaptor M 10x1.00 Left female (fits ST only)
	5080128	Adaptor M 10x1.25 Left female
	5080129	Adaptor M 10x1.25 Left male
	5080130	Adaptor M 10x1.50 Left male (fits MC only)
	5080131	Adaptor M 10x1.50 Left female (fits HU only)
	5080132	Adaptor M 12x1.50 Left female
	5080133	Adaptor M 12x1.75 Left female (fits HU only)
	5080134	Adaptor M 14x1.50 Left female (fits ST only)
		STANDARD PACKING: SLEEVE
		Q.TY PER CARTON: 40 PIECES



EASYLoad

tap-n-go trimmer head

TAP-N-GO TRIMMER HEADS #11216



• HIGHLIGHTS

► Easy line refilling without disassembling any part of the trimmer head.



• Insert line from the one eyelet to the opposite one.



• Turn the knob.



• Pull the line on both ends.



• Heavy duty metal knob. Strong and bumps resistant




• Heavy duty nylon knob. Strong and bumps resistant

Spare parts

1	5090121	Spool LH
2	5090122	Core
3	5090123	Housing
4	5090124	Eyelet
5	5090125	Spring
6	5090126	Bushing 8 mm x 1.25 LH
6a	5090127	Bushing 10mm x 1.0 LH
6b	5090128	Bushing 10 mm x 1.25 LH
7	5090129	Cover
8	5090130	Stud 7mm x 1.0 LH
8a	5090131	Stud 8mm x 1.25 LH
8b	5090132	Stud 10mm x 1.25 LH
9	5090133	Spacer ø8mm
9a	5090134	Spacer ø10mm

TAP-N-GO TRIMMER HEADS #11217






TAP-N-GO TRIMMER HEADS #11201

Double line, for cutting and thinning. The nylon line is fed by tapping the cutting head on the ground. Comes standard on many trimmers.

Adaptor bolts available to fit most of brush cutter, and detail is following:




Spare parts

1	5070101	Upper cover
2	5070102	Spool without line
3	5070103	Line retainer
4	5070124	Plate
5	5070105	Spring
6	5070106	Adaptor M 8x1.25 Left female
	5070107	Adaptor M 8x1.25 Left male
	5070108	Adaptor M 10x1.25 Left female
	5070109	Adaptor M 10x1.25 Left male
	5070110	Adaptor M 10x1.50 Left male
	5070111	Adaptor M 12x1.50 Left female
	5070112	Adaptor M 12x1.75 Left female
7	5070113	Under cover
		STANDARD PACKING: SLEEVE
		Q.TY PER CARTON: 36 PIECES

MANUAL TRIMMER HEADS #11202

Manual feed nylon head with lower profile is particularly suitable for trim low-growing grass around solid obstacles. Complete trimmer head system includes an assortment of number-coded adapter bolts, available adapter bolts to fit most brand and models, detail as below:




Spare parts

1	5070201	left aluminium screw
2	5070202	Upper cover
3	5070203	Line retainer
4	5070204	Adaptor M 8x1.25 Left female
	5070205	Adaptor M 8x1.25 Left male
	5070208	Adaptor M 10x1.25 Left female
4	5070219	Adaptor M 10x1.25 Left male
	5070210	Adaptor M 10x1.50 Left male
	5070211	Adaptor M 12x1.50 Left female
	5070212	Adaptor M 12x1.75 Left female
	5070213	Adaptor M 14x1.50 Left female (fits ST only)
5	5070214	Under cover
		STANDARD PACKING: SLEEVE
		Q.TY PER CARTON: 60 PIECES

TAP-N-GO TRIMMER HEADS #11203

Popular, Semi-automatic ("Tap-n-go") Dual-line head, durable head, Simple tab-lock "push and twist" design allows fast and easy reloading:

Available adaptor bolts to fit most brand and models, detail as below:



Spare parts

1	5070301	Upper cover
2	5070302	Top cover
3	5070303	Spool without line
4	5070304	Line retainer
5	5070305	Spring
6	5070306	Adaptor M 8x1.25 Left female
	5070307	Adaptor M 8x1.25 Left male
	5070310	Adaptor M 10x1.25 Left female
	5070311	Adaptor M 10x1.25 Left male
	5070312	Adaptor M 10x1.50 Left male
	5070313	Adaptor M 12x1.50 Left female
	5070314	Adaptor M 12x1.75 Left female
	5070315	Adaptor M 14x1.50 Left female (fits ST only)
7	5070316	Under cover
		STANDARD PACKING: SLEEVE
		Q.TY PER CARTON: 40 PIECES



FIXED LINE

Whips trimmer Head #HT-1100



8PCS FIXED LINE

Whips trimmer Head #HT-1101



Whips trimmer Head #HT-1102



Whips Trimmer Head universal mounting



Professional trimmer head, universal mounting without adaptor, centering bore for both 20-25,4 mm. Delivered complete with: 4 nylon whips of $\varnothing=3,0\text{mm}$ and Length=300mm each / kit of adaptor washers / reduction rings.

Suggested for brushcutters over 33 cc.

- Improved overall look for display presentation.
- Easier assembling and disassembling.
- Redesigned fixed-line chamfers of lines attachment slots, reduces fixed-line strain and breakage cases..
- Larger metal knob for more comfortable assembling and disassembling.

Whips trimmer Head #HT-1103



metal knob $\varnothing 80\text{mm}$

P/N 5090012



Kit of adaptor washers and reduction rings

P/N K00401008



P/N 5200040

$\varnothing 3\text{ mm}$ Set of 50 nylon whips each, 300 mm long



P/N 5200041

$\varnothing 3.3\text{ mm}$ Set of 50 nylon whips each, 300 mm long





FIXED LINE

Whips trimmer Head **#HT-1104**



STEEL FIXED LINE

Whips trimmer Head **#HT-1105**



NYLON FIXED LINE

Whips trimmer Head **#HT-1106**



#HT-1106A




#HT-1106B



HEAVY DUTY

Chain trimmer Head **#HT-1108**



New! Applicable on every type of brushcutter for the crushing, the deforestation and cut of grass and small shrubs and large cut. It concurs however optimal performances for particularly heavy and professional jobs.

Spare parts


1	5060101	body
2	5060102	ring
3	5060103	chain
4	5060104	press board
5	5060105	screw
6	5060106	pin
7	5060107	pin cap



UNIVERSAL

TAP-N-GO TRIMMER HEADS #11207

>> Semi-automatic head "pro universal". Tape-n-go double line head, universal mounting without adaptor, centering bore for both 20x25.4 mm - \varnothing 2,4 mm nylon line.



Spare parts

1	5081212	Housing
2	5081213	Spool without line
3	5081214	Line retainer
4	5081215	Spring
5	5081216	Upper cover




MINI TRIMMER HEADS #11222

UNIVERSAL 2-LINE "BUMP-N-GO" TRIMMER HEAD
 Fits Homelite, Ryobi, MTD and McCulloch. Includes 5/16" R.H. and L.H. thread and 1/4" R.H. thread knobs. Dual line.




Spare parts

1	5080131	Knob-Right Hand Thread 5/16" for Homelite, Ryobi
2	5080132	Knob-Left Hand Thread 5/16" for Homelite, Ryobi
3	5080133	Knob-Right Hand Thread 1/4" for Homelite, Ryobi MTD, McCulloch.
4	5080134	core



UNIVERSAL AUTO Matic FEED TRIMMER HEAD #11223





Profile

Welcome to Greenworld trimmer line, a market leader in China trimmer line industry. We are specialized in the manufacture of nylon trimmer line and other mono filaments, with 10 extrusion lines for producing nylon trimmer line and other mono filaments, and we can widely supply a complete scope of nylon monofilaments, and polyester monofilaments for trimmer line, builders line, industrial fabrics, nylon zipper etc.


***100% Virgin raw material and no compromises on the batch quality**

All of our products are extruded from a lend raw materials and additives

Sourced in three stringent specifications

Through tests are performed on each and evry batch

10 Extrusion lines for daily capacity
 22,500kgs/49,600pounds monofilaments



Attention: Any monofilament line can lose moisture over tinme or become brittle, especially if subjected to heat and sunlight. To reduce brittleness, We strongly suggest that line be subnerger in water for 12 hours.




How to choose the right trimmer line type you need?

Available shape of trimmer line


Available different shape for cutting performance

* Trigon, Square, diamond, star, hexagon, heptagon shapes for more blades to get better cutting performance.


* Round shape for universal cutting performance



Cutting performance of different shaped trimmer line



Sound power level of different shaped trimmer line dB(A)



Attention: Any monofilament line can lose moisture over time or become brittle, especially if subjected to heat and sunlight. To reduce brittleness, We strongly suggest that line be submerged in water for 12 hours.



Available size of trimmer line:

1.30mm/.050", 1.65mm/.065", 2.00mm/.080", 2.40mm/.095", 2.65mm/.105", 3.00mm/.120", 3.30mm/.130", 3.50mm/.140", 4.0mm/.155"

Available Quality of trimmer line: Economic/Commercial/Professional/Ultra-Pro Grade


Available in different quality grade:

- * Economical grade for normal cutting performance
- * Commercial grade for better cutting performance
- * Professional grade / Ultra-Pro grade for best cutting performance.

Comparison of the trimmer line Dia. Length, and weight of different shaped trimmer line

Dia.\Shape		Round	Square	Star	Heptagon	Square Twist	Ellipse Twist
mm	inch	Appr. MT/kg					
1.30	.050	662	619	946	828	946	828
1.65	.065	410	383	585	514	585	514
2.00	.080	278	261	399	349	399	349
2.40	.095	194	181	277	243	277	243
2.65	.105	159	149	227	199	227	199
3.00	.120	124	116	177	155	177	155
3.30	.130	103	96	147	128	147	128
3.50	.140	91	85	130	114	130	114
4.00	.155	70	65	100	87	100	87

Production life comparison of different quality grade trimmer line



Available packing

- Loops with head card
- Loops with blister on card
- Loops with Double blister
- Loops on Spoon



Head Card packing



Blister dount packing



Spool packing

- * Head Card Packing: the economical package for 10-20m trimmer line.
- * Blister dount packing: the universal, nice package for 10-20m, 1/2lb, 1lb trimmer line.
- * Spool packing: reasonable for packing 3lb,5lb,10lb trimmer line.

Attention: Any monofilament line can lose moisture over time or become brittle, especially if subjected to heat and sunlight. To reduce brittleness, We strongly suggest that line be submerged in water for 12 hours.



Round Type



Gauge inch/ mm	Ref. code	Packing type	Round Type Length (foot/ meter)		QTY/CTN	Carton Dimension
.050"/1.3mm	RH1315	Head Card	50ft	15m	360	47x38x42
	RB1315	Blister Donut	50ft	15m	120	49x39x35
	RS1305	1/2LB Dount	496ft	149m	40	36x33x48
.065"/1.65mm	RH1615	Head Card	50ft	15m	240	47X38X42
	RB1615	Blister Donut	50ft	15m	120	49X39X35
	RS1605	1/2LB Dount	306ft	92m	40	36X33X48
	RS1610	1LB Donut	613ft	184m	20	43X40X26
.080"/2.0mm	RH2015	Head Card	50ft	15m	144	47x38x42
	RB2015	Blister Donut	50ft	15m	120	49x39x35
	RS2005	1/2LB Dount	210ft	63m	40	36x33x48
	RS2010	1LB Donut	420ft	126m	20	43x40x26
	RS2030	3LB Donut	1255ft	377m	8	36x36x29
	RS2050	5LB Donut	2091ft	628m	4	36x36x25
.095"/2.4mm	RH2415	Head Card	50ft	15m	144	47x38x42
	RB2412	Blister Donut	40ft	12m	120	49x39x35
	RS2405	1/2LB Dount	147ft	44m	40	36x33x48
	RS2410	1LB Donut	290ft	87m	20	43x40x26
	RS2430	3LB Donut	872ft	262m	8	36x36x29
	RS2450	5LB Donut	1455ft	437m	4	36x36x25
.105"/2.65mm	RH2715	Head Card	50ft	15m	144	47x38x42
	RB2712	Blister Donut	40ft	12m	120	49x39x35
	RS2705	1/2LB Dount	120ft	36m	40	36x33x48
	RS2710	1LB Donut	240ft	72m	20	43x40x26
	RS2730	3LB Donut	716ft	215m	8	36x36x29
	RS2750	5LB Donut	1192ft	358m	4	36x36x25
.120"/3.0mm	RS2790	10LB Donut	2388ft	717m	2	25x25x50
	RH3012	Head Card	40ft	12m	120	47x38x42
	RB3012	Blister Donut	40ft	12m	80	49x39x35
	RS3005	1/2LB Dount	93ft	28m	40	36x33x48
	RS3010	1LB Donut	186ft	56m	20	43x40x26
	RS3030	3LB Donut	559ft	168m	8	36x36x29
.130"/3.3mm	RS3050	5LB Donut	932ft	280m	4	36x36x25
	RS3090	10LB Donut	1861ft	559m	2	25x25x50
	RH3310	Head Card	33ft	10m	120	47x38x42
	RS3312	Blister Donut	40ft	12m	80	49x39x35
	RS3323	1/2LB Dount	77ft	23m	40	36x33x48
	RS3310	1LB Donut	153ft	46m	20	43x40x26
.155"/3.95mm	RS3330	3LB Donut	460ft	138m	8	36x36x29
	RS3350	5LB Donut	769ft	231m	4	36x36x25
	RS3390	10LB Donut	1538ft	462m	2	25x25x50
	RB3909	Blister Donut	30ft	9m	80	56x31x41
	RS3905	1/2LB Dount	53ft	16m	40	37x34x58
	RS3910	1LB Donut	107ft	32m	20	44x42x31
.155"/3.95mm	RS3930	3LB Donut	323ft	97m	8	36x36x29
	RS3950	5LB Donut	536ft	161m	4	36x36x25
	RS3990	10LB Donut	1072ft	322m	2	25x25x50



Head Card packing



Blister donut packing



Spool packing

Attention: Any monofilament line can lose moisture over time or become brittle, especially if subjected to heat and sunlight. To reduce brittleness, We strongly suggest that line be submerger in water for 12 hours.



Square Type

Gauge inch/ mm	Ref. code	Packing type	Round Type Length (foot/ meter)		QTY/CTN	Carton Dimension
.050"/1.3mm	SQH1315	Head Card	50ft	15m	360	47x38x42
	SQB1315	Blister Donut	50ft	15m	120	49x39x35
	SQS1305	1/2LB Donut	453ft	136m	40	36x33x48
.065"/1.65mm	SQH1615	Head Card	50ft	15m	240	47x38x42
	SQB1615	Blister Donut	50ft	15m	120	49x39x35
	SQS1605	1/2LB Donut	280ft	84m	40	36x33x48
	SQS1610	1LB Donut	559ft	168m	20	43x40x26
.080"/2.0mm	SQH2015	Head Card	50ft	15m	144	47x38x42
	SQB2015	Blister Donut	50ft	15m	120	49x39x35
	SQS2005	1/2LB Donut	190ft	57m	40	36x33x48
	SQS2010	1LB Donut	380ft	114m	20	43x40x26
	SQS2030	3LB Donut	1142ft	343m	8	36x36x29
	SQS2050	5LB Donut	1901ft	571m	4	36x36x25
.095"/2.4mm	SQS2090	10LB Donut	3806ft	1143m	2	25x25x50
	SQH2415	Head Card	50ft	15m	144	47x38x42
	SQB2412	Blister Donut	40ft	12m	120	49x39x35
	SQS2405	1/2LB Donut	133ft	40m	40	36x33x48
	SQS2410	1LB Donut	263ft	79m	20	43x40x26
	SQS2430	3LB Donut	793ft	238m	8	36x36x29
	SQS2450	5LB Donut	1322ft	397m	4	36x36x25
.105"/2.65mm	SQS2490	10LB Donut	2644ft	794m	2	25x25x50
	SQH2715	Head Card	50ft	15m	144	47x38x42
	SQB2712	Blister Donut	40ft	12m	120	49x39x35
	SQS2705	1/2LB Donut	110ft	33m	40	36x33x48
	SQS2710	1LB Donut	216ft	65m	20	43x40x26
	SQS2730	3LB Donut	649ft	195m	8	36x36x29
	SQS2750	5LB Donut	1086ft	326m	4	36x36x25
.120"/3.0mm	SQS2790	10LB Donut	2168ft	651m	2	25x25x50
	SQH3012	Head Card	40ft	12m	120	47x38x42
	SQB3012	Blister Donut	40ft	12m	80	49x39x35
	SQS3005	1/2LB Donut	83ft	25m	40	36x33x48
	SQS3010	1LB Donut	170ft	51m	20	43x40x26
	SQS3030	3LB Donut	506ft	152m	8	36x36x29
	SQS3050	5LB Donut	846ft	254m	4	36x36x25
	SQS3090	10LB Donut	1692ft	508m	2	25x25x50
.130"/3.3mm	SQH3310	Head Card	33ft	10m	120	47x38x42
	SQB3312	Blister Donut	40ft	12m	80	49x39x35
	SQS3323	1/2LB Donut	70ft	21m	40	36x33x48
	SQS3310	1LB Donut	140ft	42m	20	43x40x26
	SQS3330	3LB Donut	420ft	126m	8	36x36x29
	SQS3350	5LB Donut	699ft	210m	4	36x36x25
	SQS3390	10LB Donut	1399ft	420m	2	25x25x50
.155"/3.95mm	SQB3909	Blister Donut	30ft	9m	80	56x31x41
	SQS3905	1/2LB Donut	48ft	14.5m	40	37x34x58
	SQS3910	1LB Donut	97ft	29m	20	44x42x31
	SQS3930	3LB Donut	293ft	88m	8	36x36x29
	SQS3950	5LB Donut	486ft	146m	4	36x36x25
	SQS3990	10LB Donut	976ft	293m	2	25x25x50



Head Card packing



Blister donut packing



Spool packing

Attention: Any monofilament line can lose moisture over time or become brittle, especially if subjected to heat and sunlight. To reduce brittleness, We strongly suggest that line be submerged in water for 12 hours.



Star Type



Gauge inch/ mm	Ref. code	Packing type	Round Type Length (foot/ meter)		QTY/CTN	Carton Dimension
.050"/1.3mm						
.065"/1.65mm	STH1615	Head Card	50ft	15m	240	47x38x42
	STB1615	Blister Donut	50ft	15m	120	49x39x35
	STS1605	1/2LB Dount	306ft	92m	40	37x34x58
	STS1610	1LB Donut	613ft	184m	20	44x42x31
.080"/2.0mm	STH2015	Head Card	50ft	15m	144	47x38x42
	STB2015	Blister Donut	50ft	15m	120	49x39x35
	STS2005	1/2LB Dount	210ft	63m	40	37x34x58
	STS2010	1LB Donut	420ft	126m	20	44x42x31
	STS2030	3LB Donut	1255ft	377m	8	36x36x29
	STS2050	5LB Donut	2091ft	628m	4	36x36x25
	STS2090	10LB Donut	4186ft	1257m	2	25x25x50
.095"/2.4mm	STH2415	Head Card	50ft	15m	144	47x38x42
	STB2412	Blister Donut	40ft	12m	120	49x39x35
	STS2405	1/2LB Dount	147ft	44m	40	37x34x58
	STS2410	1LB Donut	290ft	87m	20	44x42x31
	STS2430	3LB Donut	872ft	262m	8	36x36x29
	STS2450	5LB Donut	1455ft	437m	4	36x36x25
	STS2490	10LB Donut	2910ft	874m	2	25x25x50
.105"/2.65mm	STH2715	Head Card	50ft	15m	144	47x38x42
	STB2712	Blister Donut	40ft	12m	120	49x39x35
	STS2705	1/2LB Dount	120ft	36m	40	37x34x58
	STS2710	1LB Donut	240ft	72m	20	44x42x31
	STS2730	3LB Donut	716ft	215m	8	36x36x29
	STS2750	5LB Donut	1192ft	358m	4	36x36x25
	STS2790	10LB Donut	2388ft	717m	2	25x25x50
.120"/3.0mm	STH3012	Head Card	40ft	12m	120	47x38x42
	STB3012	Blister Donut	40ft	12m	80	49x39x35
	STS3005	1/2LB Dount	93ft	28m	40	37x34x58
	STS3010	1LB Donut	186ft	56m	20	44x42x31
	STS3030	3LB Donut	559ft	168m	8	36x36x29
	STS3050	5LB Donut	932ft	280m	4	36x36x25
	STS3090	10LB Donut	1861ft	559m	2	25x25x50
.130"/3.3mm	STH3310	Head Card	33ft	10m	120	47x38x42
	STB3312	Blister Donut	40ft	12m	80	49x39x35
	STS3323	1/2LB Dount	77ft	23m	40	37x34x58
	STS3310	1LB Donut	153ft	46m	20	44x42x31
	STS3330	3LB Donut	460ft	138m	8	36x36x29
	STS3350	5LB Donut	769ft	231m	4	36x36x25
	STS3390	10LB Donut	1538ft	462m	2	25x25x50
.155"/3.95mm	STB3909	Blister Donut	30ft	9m	80	56x31x41
	STS3905	1/2LB Dount	53ft	16m	40	37x34x58
	STS3910	1LB Donut	107ft	32m	20	44x42x31
	STS3930	3LB Donut	323ft	97m	8	36x36x29
	STS3950	5LB Donut	536ft	161m	4	36x36x25
	STS3990	10LB Donut	1072ft	322m	2	25x25x50



Head Card packing



Blister dount packing



Spool packing

Attention: Any monofilament line can lose moisture over time or become brittle, especially if subjected to heat and sunlight. To reduce brittleness, We strongly suggest that line be submerger in water for 12 hours.

Manufacturer



COMPARISON CHART(for reference only)

SIZE	THREAD		TOP KING	BOSCH	CHAMPION	NGK
	REACH					
10mm	12.7mm 1/2	A6T	UR4AS	Z10	C6HSA	
		A7C	UR3As	Z10YC	C7HSA	
12mm	19mm 3/4	D7	X5DC	A10,A8	D7EA	
		D8TC D8RTC	X4DC XR4DC	A8Y RA8Y	D8EA DR8EA	
14mm	9.5mm 3/8	G3TC	W9FC	J12YC	BP4S	
		G6 L7T	W8E WS7F	J7 CJ8Y	B6S BPM6A	
	11mm 7/16	H5 H7T Z4C Z8C M5 M7		CJ11,CJ8		
14mm	12.7mm 1/2	E5C	W8AC	L92C	B5HS	
		E6C	W8AC	L87C	B6HS	
		E7C	W7AC	L82C	B7HS	
		E5TC	W8BC	L95YC,L92YC	BP4HS,BP5HS	
		E6TC E7TC E7RTC	W7BC W6BC WR7BC	L87YC L82YC RL82YC	BP6HS BP7HS BPR7HS	
19mm 3/4	19mm 3/4	E5C	W9CC	N8	B5ES	
		E6C	W8CC	N8	B6ES	
		F7C	W7CC	N7	B7ES	
		F5TC	W9DC	N14YC,N13YC	BP4ES	
		F6TC	W8DC	N12YC,N11YC	BP5ES	
		F7TC F7RTC F7TJC	W7DC WR7DC W7DTC	N10YC,N9YC RN9YC N7BYC	BP6ES,BP7ES BPR6ES BP5ET	
19mm 3/4 Hex 20.8mm	19mm 3/4 Hex 20.8mm	K6TC	F8DC	C10YC	BCP5ES	
		K7TC K6RTC	F7DC FR8DC	C9YC RC10YC	BCP6ES BCPR5ES	
18mm	11.2mm Hex 20.8mm	T5RTC	DR8BC	RF9YC	APR6FS	

Available Package



(1)



(2)



(3)

Model Comparison Chart

JIANGSU GUOTAI IN'T GROUP HUATAI IMP.&EXP.CO.,LTD.

ADD:15-16/F,HUACHANG ORIENTAL PLAZA,RENMIN ROAD,ZHANGJIAGANG CITY,JIANGSU PROV,CHINA.

TEL: 0086-512-58696069,58696068, FAX: 0086-512-58696937

E-MAIL: xzting@vip.163.com / justinluu@vip.163.com / wilsonwii@163.com

WEB SITE:<http://www.toolchina.com>