



PaintingProTM

PAINT BRUSH

ROLLER FRAME AND ROLLER COVER

MASKING TPAE COVERING FILMS



www.toolchina.com

1-15
PAINT BRUSH

16-40
**ROLLER FRAME
AND ROLLER COVER**



48-51
PAINTING MACHINE

41-47
**MASKING TPAE
COVERING FILMS**



Filaments

- * Brush head material can be natural bristle, Black dyed bristle, or mixed with Pet filaments, or PET filament only.
- * Bristle top percentage can be from 40% to 90% as per quired.
- * Outlength of the bristle as per required.

Ferrule

- * Ferrule material can Tin iron or S.S steel
- * Tin Ferrule color can be bright or golden color
- * Ferrule height can be 28mm, 32mm,34mm, etc or as per required.

Paint brush inside

- * Epoxy glued. Suitable for all paints


Handle


- * Handle material can be plastic or wood
- * Wood handle finish can be natural, Clear varnished, or color varnished, Plastic handle can be color as required.

- * Boilded and white bristle
- * Wood handle, red varnished, Golden tip
- * Tin ferrule with size in INCH and Metric engraved
- * Epoxy glue, Suitable for all paints

CODE	Size	Bristle Length out mm	Handle Thickness (mm)	Ferrule Height (mm)	Bristle Top %
貨號	規格	出峰	厚度	鐵殼高度	峰头
WB 101 025	1"	44	11	38	*
WB 101 038	1.5"	50	13	38	*
WB 101 050	2"	55	15	45	*
WB 101 064	2.5"	63	16	45	*
WB 101 075	3"	63	17	45	*

The brush head material, Lengthout of filament, Handle models, Ferrule material and height are optional as per buyer's requirements, So, the final product's specification is subject to the agreement between buyer and seller.





Natural bristle, wood handle



• Features

- * Boilded and white bristle
- * Wood handle, red varnished, Golden tip
- * Tin ferrule with size in INCH and Metric engraved
- * Epoxy glue, Suitable for all paints

CODE	Size	Bristle Length out mm	Handle Thickness (mm)	Ferrule Height (mm)	Bristle Top %
貨號	規格	出峰	厚度	鐵殼高度	峰頭
WB101025	1"	44	11	38	*
WB101038	1.5"	50	13	38	*
WB101050	2"	55	15	45	*
WB101064	2.5"	63	16	45	*
WB101075	3"	63	17	45	*

* Bristle top percentage is at least 40%-90% Optional

Natural bristle, wood handle



• Features

- * Boilded and white bristle
- * Wood handle, Natural color
- * Tin ferrule with size in INCH and Metric engraved
- * Epoxy glue, Suitable for all paints

CODE	Size	Bristle Length out mm	Handle Thickness (mm)	Ferrule Height (mm)	Bristle Top %
貨號	規格	出峰	厚度	鐵殼高度	峰頭
WB102025	1"	50	18	34	*
WB102038	1.5"	55	18	34	*
WB102050	2"	56	20	34	*
WB102064	2.5"	62	20	34	*
WB102075	3"	68	22	34	*
WB102100	4"	75	24	34	*

* Bristle top percentage is at least 40%-90% Optional



PET tapered filaments, white/black mixed, wood handle



• Features

- * Pet tapered filaments, white/black mixed
- * Wood handle, transparent varnished
- * Tin ferrule with size in INCH and Metric engraved

CODE	Size	Bristle Length out mm	Handle Thickness (mm)	Ferrule Height (mm)	Bristle Top %
貨號	規格	出峰	厚度	鐵殼高度	峰頭
MP103025	1"	44	12	32	100%
MP103038	1.5"	44	12	32	100%
MP103050	2"	51	12	32	100%
MP103064	2.5"	51	14	32	100%
MP103075	3"	56	15	32	100%
MP103100	4"	56	16	32	100%

* Bristle top percentage 100%

Natural bristle, wood handle




• Features

- * Boilded and white bristle
- * Wood handle, varnished, Yellow/Green tip
- * Tin ferrule with size in INCH and Metric engraved
- * Epoxy glue, Suitable for all paints

CODE	Size	Bristle Length out mm	Handle Thickness (mm)	Ferrule Height (mm)	Bristle Top %
貨號	規格	出峰	厚度	鐵殼高度	峰頭
WB106025	1"	44	12	32	*
WB106038	1.5"	44	12	32	*
WB106050	2"	51	12	32	*
WB106064	2.5"	51	14	32	*
WB106075	3"	56	15	32	*
WB106100	4"	56	16	32	*

* Bristle top percentage is at least 40%-90% Optional



Natural bristle, wood handle

Natural bristle, wood handle

• Features

- * Boiled and white bristle
- * Wood handle, varnished, Red tip
- * Tin ferrule with size in INCH and Metric engraved
- * Epoxy glue, Suitable for all paints

• Features

- * Boiled and white bristle
- * Wood handle, clear varnished
- * Tin ferrule with size in INCH and Metric engraved
- * Epoxy glue, Suitable for all paints



CODE	Size	Bristle Length out mm	Handle Thickness (mm)	Ferrule Height (mm)	Bristle Top %
貨號	規格	出峰	厚度	鐵殼高度	峰頭
WB107025	1"	44	12	32	*
WB107038	1.5"	44	12	32	*
WB107050	2"	51	12	32	*
WB107064	2.5"	51	14	32	*
WB107075	3"	56	15	32	*
WB107100	4"	56	16	32	*

* Bristle top percentage is at least 40%-90% Optional

CODE	Size	Bristle Length out mm	Handle Thickness (mm)	Ferrule Height (mm)	Bristle Top %
貨號	規格	出峰	厚度	鐵殼高度	峰頭
WB108025	1"	44	10	32	*
WB108038	1.5"	44	12	32	*
WB108050	2"	51	14	32	*
WB108064	2.5"	51	16	32	*
WB108075	3"	57	18	32	*
WB108100	4"	57	20	32	*

* Bristle top percentage is at least 40%-90% Optional

PET tapered filaments, white/blue mixed, wood handle

• Features

- * Pet tapered filaments, white/blue mixed
- * Wood handle, Natural color
- * Tin ferrule with size in INCH and Metric engraved

• Features

- * Boiled and white bristle
- * Long Wood handle, Natural color
- * Tin ferrule with size in INCH and Metric engraved
- * Epoxy glue, Suitable for all paints



CODE	Size	Bristle Length out mm	Handle Thickness (mm)	Ferrule Height (mm)	Bristle Top %
貨號	規格	出峰	厚度	鐵殼高度	峰頭
MP110025	1"	51	15	32	100%
MP110038	1.5"	51	16	32	100%
MP110050	2"	57	16	32	100%
MP110064	2.5"	57	16	32	100%
MP110075	3"	64	18	32	100%
MP110100	4"	64	20	32	100%

* Bristle top percentage 100%

CODE	Size	Bristle Length out mm	Handle Thickness (mm)	Ferrule Height (mm)	Bristle Top %
貨號	規格	出峰	厚度	鐵殼高度	峰頭
WB111025	1"			32	*
WB111038	1.5"			32	*
WB111050	2"			32	*
WB111064	2.5"			32	*
WB111075	3"			32	*
WB111100	4"			32	*

* Bristle top percentage is at least 40%-90% Optional



Natural bristle, Black dyed, wood handle

• Features

- * Boilded and black dyed bristle
- * Wood handle, clear varnished
- * Tin ferrule with size in INCH and Metric engraved
- * Epoxy glue, Suitable for all paints



CODE	Size	Bristle Length out mm	Handle Thickness (mm)	Ferrule Height (mm)	Bristle Top %
貨號	規格	出峰	厚度	鐵殼高度	峰头
BB 114 025	1"	44	10	32	*
BB 114 038	1.5"	44	12	32	*
BB 114 050	2"	51	14	32	*
BB 114 064	2.5"	51	16	32	*
BB 114 075	3"	57	18	32	*
BB 114 100	4"	57	20	32	*

* Bristle top percentage is at least 40%-90% Optional



Natural bristle, Black dyed, wood handle

• Features

- * Boilded and black dyed bristle
- * Wood handle, Natural color
- * Tin ferrule with size in INCH and Metric engraved
- * Epoxy glue, Suitable for all paints



CODE	Size	Bristle Length out mm	Handle Thickness (mm)	Ferrule Height (mm)	Bristle Top %
貨號	規格	出峰	厚度	鐵殼高度	峰头
WB 117 025	1"	50	18	34	*
WB 117 038	1.5"	55	18	34	*
WB 117 050	2"	56	20	34	*
WB 117 064	2.5"	62	20	34	*
WB 117 075	3"	68	22	34	*
WB 117 100	4"	75	24	34	*

* Bristle top percentage is at least 40%-90% Optional

PET tapered filaments, purple, Wood Handle

• Features

- * Pet tapered filaments, purple
- * Wood handle, varnished
- * S.S ferrule with size in INCH and Metric engraved



CODE	Size	Bristle Length out mm	Handle Thickness (mm)	Ferrule Height (mm)	Bristle Top %
貨號	規格	出峰	厚度	鐵殼高度	峰头
WP 118025	1"	57	15	34	100%
WP 118038	1.5"	64	17	34	100%
WP 118050	2"	64	19	34	100%
WP 118064	2.5"	70	19	34	100%
WP 118075	3"	76	22	34	100%
WP 118100	4"	76	22	34	100%

* Bristle top percentage is 100%





PET filaments, brown/white color mixed, Wood handle



• Features

- * PET filaments, brown/white color mixed,
- * Wood handle, Red Varnished, Gilded tip
- * Tin ferrule with size in INCH and Metric engraved

CODE	Size	Bristle Length out mm	Handle Thickness (mm)	Ferrule Height (mm)	Bristle Top %
貨號	規格	出峰	厚度	鐵殼高度	峰頭
WP201025	1"	51	11	32	*
WP201038	1.5"	51	12	32	*
WP201050	2"	56	13	32	*
WP201064	2.5"	57	13	32	*
WP201075	3"	65	15	32	*
WP201100	4"	100			*

Natural bristle, wood handle



• Features

- * Boilded and white bristle
- * Wood handle, Clear varnished
- * Tin ferrule with size in INCH and Metric engraved
- * Epoxy glue, Suitable for all paints

CODE	Size	Bristle Length out mm	Handle Thickness (mm)	Ferrule Height (mm)	Bristle Top %
貨號	規格	出峰	厚度	鐵殼高度	峰頭
WB204025	1"	44	12	32	*
WB204038	1.5"	44	12	32	*
WB204050	2"	51	12	32	*
WB204064	2.5"	51	14	32	*
WB204075	3"	56	15	32	*
WB204100	4"	56	16	32	*

* Bristle top percentage is at least 40%-90% Optional

Natural bristle, wood handle, Green Tip



• Features

- * Boilded and white bristle
- * Wood handle, varnished, Green tip
- * Tin ferrule with size in INCH and Metric engraved
- * Epoxy glue, Suitable for all paints

CODE	Size	Bristle Length out mm	Handle Thickness (mm)	Ferrule Height (mm)	Bristle Top %
貨號	規格	出峰	厚度	鐵殼高度	峰頭
WB205025	1"				*
WB205038	1.5"				*
WB205050	2"				*
WB205064	2.5"				*
WB205075	3"				*
WB205100	4"				*

* Bristle top percentage is at least 40%-90% Optional

Natural bristle, wood handle, Red painted, Golden Tip



• Features

- * Boilded and white bristle
- * Wood handle, varnished, Green tip
- * Tin ferrule with size in INCH and Metric engraved
- * Epoxy glue, Suitable for all paints

CODE	Size	Bristle Length out mm	Handle Thickness (mm)	Ferrule Height (mm)	Bristle Top %
貨號	規格	出峰	厚度	鐵殼高度	峰頭
WB206025	1"	45	14	36	*
WB206038	1.5"	51	14	36	*
WB206050	2"	56	15	36	*
WB206064	2.5"	56	16	36	*
WB206075	3"	62	17	36	*
WB206100	4"	70	19	36	*

* Bristle top percentage is at least 40%-90% Optional





Natural Bristle, Black Dyed, Wood handle

• Features

- * Boilded and white bristle
- * Wood handle, brown varnished, Golden tip
- * Gilded ferrule with size in INCH and Metric engraved
- * Epoxy glue, Suitable for all paints



CODE	Size	Bristle Length out mm	Handle Thickness (mm)	Ferrule Height (mm)	Bristle Top %
貨號	規格	出峰	厚度	鐵殼高度	峰頭
WB208025	1"	44	12	32	*
WB208038	1.5"	44	12	32	*
WB208050	2"	51	12	32	*
WB208064	2.5"	51	14	32	*
WB208075	3"	56	15	32	*
WB208100	4"	56	16	32	*

* Bristle top percentage is at least 40%-90% Optional

Natural Bristle, Plastic handle black, Golden tip

• Features

- * Boilded and white bristle
- * Plastic handle, Golden tip
- * Tin ferrule with size in INCH and Metric engraved
- * Epoxy glue, Suitable for all paints



Natural Bristle, Black Dyed, Red Plastic Handle

• Features

- * Boilded and white bristle
- * Plastic red handle
- * Tin ferrule with size in INCH and Metric engraved
- * Epoxy glue, Suitable for all paints



CODE	Size	Bristle Length out mm	Handle Thickness (mm)	Ferrule Height (mm)	Bristle Top %
貨號	規格	出峰	厚度	鐵殼高度	峰頭
PB 209025	1"	51	17	35	*
PB 209038	1.5"	56	17	35	*
PB 209050	2"	56	19	35	*
PB 209064	2.5"	62	20	35	*
PB 209075	3"	68	22	35	*
PB 209100	4"	74	22	35	*

* Bristle top percentage is at least 40%-90% Optional

CODE	Size	Bristle Length out mm	Handle Thickness (mm)	Ferrule Height (mm)	Bristle Top %
貨號	規格	出峰	厚度	鐵殼高度	峰頭
PB 301025	1"	51	17	37	*
PB 301038	1.5"	56	17	37	*
PB 301050	2"	62	19	37	*
PB 301064	2.5"	68	20	37	*
PB 301075	3"	74	22	37	*
PB 301100	4"	80	22	37	*

* Bristle top percentage is at least 40%-90% Optional

PP Filaments, Black color, Blue Plastic handle

• Features

- * PP Filaments, Black color
- * Plastic blue handle
- * Tin ferrule with size in INCH and Metric engraved



Natural Bristle, Black Dyed, Dark Red Plastic Handle

• Features

- * Boilded and black dyed bristle
- * Dark Red Plastic Handle
- * Tin ferrule with size in INCH and Metric engraved
- * Epoxy glue, Suitable for all paints



CODE	Size	Bristle Length out mm	Handle Thickness (mm)	Ferrule Height (mm)	Bristle Top %
貨號	規格	出峰	厚度	鐵殼高度	峰頭
PP 302025	1"	51	17	37	*
PP 302038	1.5"	56	17	37	*
PP 302050	2"	62	19	37	*
PP 302064	2.5"	68	20	37	*
PP 302075	3"	74	22	37	*
PP 302100	4"	80	22	37	*

CODE	Size	Bristle Length out mm	Handle Thickness (mm)	Ferrule Height (mm)	Bristle Top %
貨號	規格	出峰	厚度	鐵殼高度	峰頭
PB 303025	1"	51	17	37	*
PB 303038	1.5"	56	17	37	*
PB 303050	2"	62	19	37	*
PB 303064	2.5"	68	20	37	*
PB 303075	3"	74	22	37	*
PB 303100	4"	80	22	37	*

* Bristle top percentage is at least 40%-90% Optional



Natural Bristle, Dark Red Plastic Handle

CODE	Size	Bristle Length out mm	Handle Thickness (mm)	Ferrule Height (mm)	Bristle Top %
貨號	規格	出峰	厚度	鐵殼高度	峰頭
PB 304 025	1"	51	17	37	*
PB 304 038	1.5"	56	17	37	*
PB 304 050	2"	62	19	37	*
PB 304 064	2.5"	68	20	37	*
PB 304 075	3"	74	22	37	*
PB 304 100	4"	80	22	37	*

* Bristle top percentage is at least 40%-90% Optional

• Features

- * Boilded bristle
- * Dark Red Plastic Handle
- * Tin ferrule with size in INCH and Metric engraved
- * Epoxy glue, Suitable for all paints



Natural Bristle, Wood handle, Clear varnished, Red tip



• Features

- * Boilded bristle
- * Wood handle, Clear varnished, Red tip
- * Tin ferrule with size in INCH and Metric engraved
- * Epoxy glue, Suitable for all paints

CODE	Size	Bristle Length out mm	Handle Thickness (mm)	Ferrule Height (mm)	Bristle Top %
貨號	規格	出峰	厚度	鐵殼高度	峰頭
WB 305 025	1"	51	17	37	*
WB 305 038	1.5"	56	17	37	*
WB 305 050	2"	62	19	37	*
WB 305 064	2.5"	68	20	37	*
WB 305 075	3"	74	22	37	*
WB 305 100	4"	80	22	37	*

* Bristle top percentage is at least 40%-90% Optional

Natural Bristle, Black Dyed, Dark Red wood Handle, Golden tip



• Features

- * Boilded and white bristle
- * Wood handle, Dark red varnished, Golden tip
- * Tin ferrule with size in INCH and Metric engraved
- * Epoxy glue, Suitable for all paints

CODE	Size	Bristle Length out mm	Handle Thickness (mm)	Ferrule Height (mm)	Bristle Top %
貨號	規格	出峰	厚度	鐵殼高度	峰頭
WB 401 025	1"	44	12	32	*
WB 401 038	1.5"	44	12	32	*
WB 401 050	2"	51	12	32	*
WB 401 064	2.5"	51	14	32	*
WB 401 075	3"	56	15	32	*
WB 401 100	4"	56	16	32	*

* Bristle top percentage is at least 40%-90% Optional





Natural Bristle, Clear varnished wood handle

• Features

- * Boilded and bristle
- * Wood handle, Clear Varnished
- * Tin ferrule with size in INCH and Metric engraved
- * Epoxy glue, Suitable for all paints



CODE	Size	Bristle Length out mm	Handle Thickness (mm)	Ferrule Height (mm)	Bristle Top %
貨號	規格	出峰	厚度	鐵殼高度	峰頭
WB 402 025	1"	44	12	32	*
WB 402 038	1.5"	44	12	32	*
WB 402 050	2"	51	12	32	*
WB 402 064	2.5"	51	14	32	*
WB 402 075	3"	56	15	32	*
WB 402 100	4"	56	16	32	*

* Bristle top percentage is at least 40%-90% Optional

Natural Bristle, Dark Red wood Handle, Golden tip

• Features

- * Boilded and bristle
- * Wood handle, red varnished, Golden tip
- * Tin ferrule with size in INCH and Metric engraved
- * Epoxy glue, Suitable for all paints



CODE	Size	Bristle Length out mm	Handle Thickness (mm)	Ferrule Height (mm)	Bristle Top %
貨號	規格	出峰	厚度	鐵殼高度	峰頭
WB 403 025	1"	44	12	32	*
WB 403 038	1.5"	44	12	32	*
WB 403 050	2"	51	12	32	*
WB 403 064	2.5"	51	14	32	*
WB 403 075	3"	56	15	32	*
WB 403 100	4"	56	16	32	*

* Bristle top percentage is at least 40%-90% Optional

Natural Bristle, Black Dyed, wood Handle, Red tip

• Features

- * Boilded and black dyed bristle
- * Wood handle, Clear varnish, Red tips
- * Tin ferrule with size in INCH and Metric engraved
- * Epoxy glue, Suitable for all paints



CODE	Size	Bristle Length out mm	Handle Thickness (mm)	Ferrule Height (mm)	Bristle Top %
貨號	規格	出峰	厚度	鐵殼高度	峰頭
WB 501 025	1"	44	11	30	*
WB 501 038	1.5"	44	11	30	*
WB 501 050	2"	44	12	30	*
WB 501 064	2.5"	44	12	32	*
WB 501 075	3"	51	12	32	*
WB 501 100	4"	51	14	32	*

* Bristle top percentage is at least 40%-90% Optional

Natural Bristle, Clear varnished wood handle

• Features

- * Boilded and white bristle
- * Wood handle, Clear varnished
- * Tin ferrule with size in INCH and Metric engraved
- * Epoxy glue, Suitable for all paints




CODE	Size	Bristle Length out mm	Handle Thickness (mm)	Ferrule Height (mm)	Bristle Top %
貨號	規格	出峰	厚度	鐵殼高度	峰頭
WB 503 025	1"	44	8	30	*
WB 503 038	1.5"	44	8	30	*
WB 503 050	2"	44	8	30	*
WB 503 064	2.5"	44	8	30	*
WB 503 075	3"	51	8	31	*
WB 503 100	4"	51	10	31	*

* Bristle top percentage is at least 40%-90% Optional



PAINT BRUSH



PP Filaments, Black color, Yellow Plastic handle

• Features

- * PP Filaments, Black color
- * Plastic yellow handle
- * Tin ferrule with size in INCH and Metric engraved



CODE	Size	Bristle Length out mm	Handle Thickness (mm)	Ferrule Height (mm)	Bristle Top %
貨號	規格	出峰	厚度	鐵殼高度	峰頭
PP 601 025	1"	44	11	32	*
PP 601 038	1.5"	44	13	32	*
PP 601 050	2"	51	14	32	*
PP 601 064	2.5"	51	16	32	*
PP 601 075	3"	56	18	32	*
PP 601 100	4"	56	19	32	*

PP Filaments, Golden color, Red Plastic handle, Golden tip

• Features

- * PP Filaments, Golden color
- * Plastic red handle, Golden Tip
- * Tin ferrule with size in INCH and Metric engraved
- * Tin ferrule copper plated



Natural Bristle, Yellow plastic handle

• Features

- * Bolded and white bristle
- * Plastic yellow handle
- * Tin ferrule with size in INCH and Metric engraved
- * Epoxy glue, Suitable for all paints



CODE	Size	Bristle Length out mm	Handle Thickness (mm)	Ferrule Height (mm)	Bristle Top %
貨號	規格	出峰	厚度	鐵殼高度	峰頭
PP 602 025	1"	44	11	32	*
PP 602 038	1.5"	44	12	32	*
PP 602 050	2"	44	13	32	*
PP 602 064	2.5"	51	13	32	*
PP 602 075	3"	56	15	32	*

* Bristle top percentage is at least 40%-90% Optional

CODE	Size	Bristle Length out mm	Handle Thickness (mm)	Ferrule Height (mm)	Bristle Top %
貨號	規格	出峰	厚度	鐵殼高度	峰頭
PB 603 025	1"	44	11	32	*
PB 603 038	1.5"	44	13	32	*
PB 603 050	2"	51	14	32	*
PB 603 064	2.5"	51	16	32	*
PB 603 075	3"	56	18	32	*
PB 603 100	4"	56	19	32	*

* Bristle top percentage is at least 40%-90% Optional

Natural Bristle, Red Plastic handle, Golden tip

• Features

- * Bolded and white bristle
- * Plastic red handle, Golden tip
- * Tin ferrule with size in INCH and Metric engraved
- * Tin ferrule copper plated
- * Epoxy glue, Suitable for all paints



ET tapered filaments, white/Red mixed, Plastic handle, Golden Tip

• Features

- * Pet tapered filaments, white/Red mixed,
- * Plastic red handle
- * Tin ferrule with size in INCH and Metric engraved
- * Tin ferrule copper plated



CODE	Size	Bristle Length out mm	Handle Thickness (mm)	Ferrule Height (mm)	Bristle Top %
貨號	規格	出峰	厚度	鐵殼高度	峰頭
PB 604 025	1"	44	11	32	*
PB 604 038	1.5"	44	12	32	*
PB 604 050	2"	44	13	32	*
PB 604 064	2.5"	51	13	32	*
PB 604 075	3"	56	15	32	*

* Bristle top percentage is at least 40%-90% Optional

CODE	Size	Bristle Length out mm	Handle Thickness (mm)	Ferrule Height (mm)	Bristle Top %
貨號	規格	出峰	厚度	鐵殼高度	峰頭
PP 605 025	1"	51	11	32	*
PP 605 038	1.5"	51	12	32	*
PP 605 050	2"	56	13	32	*
PP 605 064	2.5"	57	13	32	*
PP 605 075	3"	65	15	32	*



Natural Bristle, Plastic handle, Black

• Features

- * Boilded and white bristle
- * Plastic black handle
- * Tin ferrule with size in INCH and Metric engraved
- * Epoxy glue, Suitable for all paints



CODE	Size	Bristle Length out mm	Handle Thickness (mm)	Ferrule Height (mm)	Bristle Top %
貨號	規格	出峰	厚度	鐵殼高度	峰頭
PB 606 025	1"	38	12	32	*
PB 606 038	1.5"	41	13	32	*
PB 606 050	2"	41	13	32	*
PB 606 064	2.5"	44	14	32	*
PB 606 075	3"	44	14	32	*
PB 606 100	4"	44	14	32	*

* Bristle top percentage is at least 40%-90% Optional

Natural Bristle, Plastic handle, Brown

• Features

- * Boilded and white bristle
- * Plastic handle, brown Color
- * Tin ferrule with size in INCH and Metric engraved
- * Epoxy glue, Suitable for all paints



CODE	Size	Bristle Length out mm	Handle Thickness (mm)	Ferrule Height (mm)	Bristle Top %
貨號	規格	出峰	厚度	鐵殼高度	峰頭
PB 607 025	1"	38	12	32	*
PB 607 038	1.5"	41	13	32	*
PB 607 050	2"	41	13	32	*
PB 607 064	2.5"	44	14	32	*
PB 607 075	3"	44	14	32	*
PB 607 100	4"	44	14	32	*

* Bristle top percentage is at least 40%-90% Optional

PET tapered filaments, TPR handle, black and yellow

• Features

- * Pet tapered filaments, white/Red mixed
- * Double color Plastic handle, black and orange
- * Tin ferrule with size in INCH and Metric engraved



CODE	Size	Bristle Length out mm	Handle Thickness (mm)	Ferrule Height (mm)	Bristle Top %
貨號	規格	出峰	厚度	鐵殼高度	峰頭
PP 701 025	1"	51	17	37	100%
PP 701 038	1.5"	56	17	37	100%
PP 701 050	2"	62	19	37	100%
PP 701 064	2.5"	68	20	37	100%
PP 701 075	3"	74	22	37	100%
PP 701 100	4"	80	22	37	100%

PP Filaments, Double color Plastic handle, Yellow/Black

• Features

- * PP Filaments, Black color
- * Double color Plastic handle, Yellow/Black
- * Tin ferrule with size in INCH and Metric engraved



CODE	Size	Bristle Length out mm	Handle Thickness (mm)	Ferrule Height (mm)	Bristle Top %
貨號	規格	出峰	厚度	鐵殼高度	峰頭
PP 702 025	1"	64	13	37	100%
PP 702 038	1.5"	64	13	37	100%
PP 702 050	2"	70	14	37	100%
PP 702 064	2.5"	70	16	37	100%
PP 702 075	3"	76	16	37	100%
PP 702 100	4"	76	18	37	100%

PP Filaments, Double color Plastic handle, black and orange

• Features

- * PP Filaments, Black color
- * Double color Plastic handle, black and orange
- * Tin ferrule with size in INCH and Metric engraved



CODE	Size	Bristle Length out mm	Handle Thickness (mm)	Ferrule Height (mm)	Bristle Top %
貨號	規格	出峰	厚度	鐵殼高度	峰頭
PP 703 025	1"	64	13	37	100%
PP 703 038	1.5"	64	13	37	100%
PP 703 050	2"	70	14	37	100%
PP 703 064	2.5"	70	16	37	100%
PP 703 075	3"	76	16	37	100%
PP 703	4"	76	18	37	100%



PP Filaments, Double color Plastic handle, Yellow/Black



• Features

- * PP Filaments, Black color
- * Double color Plastic handle, Yellow/Black
- * Tin ferrule with size in INCH and Metric engraved

PP Filaments, Double color Plastic handle, Yellow/Black



• Features

- * PP Filaments, Black color
- * Double color Plastic handle, Yellow/Black
- * Tin ferrule with size in INCH and Metric engraved

CODE	Size	Bristle Length out mm	Handle Thickness (mm)	Ferrule Height (mm)	Bristle Top %
貨號	規格	出峰	厚度	鐵殼高度	峰頭
PP 704 025	1"	64	13	37	100%
PP 704 038	1.5"	64	14	37	100%
PP 704 050	2"	70	16	37	100%
PP 704 064	2.5"	70	18	37	100%
PP 704 075	3"	76	20	37	100%
PP 704 100	4"	76	23	37	100%

CODE	Size	Bristle Length out mm	Handle Thickness (mm)	Ferrule Height (mm)	Bristle Top %
貨號	規格	出峰	厚度	鐵殼高度	峰頭
PP 705 025	1"	64	17	37	100%
PP 705 038	1.5"	64	17	37	100%
PP 705 050	2"	70	19	37	100%
PP 705 064	2.5"	70	20	37	100%
PP 705 075	3"	76	22	37	100%
PP 705 100	4"	76	22	37	100%

PP Filaments, TPR handle, black and red



• Features

- * PP Filaments, Black color
- * TPR handle, black and red
- * Tin ferrule with size in INCH and Metric engraved

Natural Bristle, TPR handle, black and red



• Features

- * Boiled and white bristle
- * TPR handle, black and red
- * Tin ferrule with size in INCH and Metric engraved
- * Epoxy glue, Suitable for all paints

CODE	Size	Bristle Length out mm	Handle Thickness (mm)	Ferrule Height (mm)	Bristle Top %
貨號	規格	出峰	厚度	鐵殼高度	峰頭
PP 706 025	1"	51	17	37	100%
PP 706 038	1.5"	56	17	37	100%
PP 706 050	2"	62	19	37	100%
PP 706 064	2.5"	68	20	37	100%
PP 706 075	3"	74	22	37	100%
PP 706 100	4"	80	22	37	100%

CODE	Size	Bristle Length out mm	Handle Thickness (mm)	Ferrule Height (mm)	Bristle Top %
貨號	規格	出峰	厚度	鐵殼高度	峰頭
PB 903 025	1"	44	13	37	*
PB 903 038	1.5"	51	14	37	*
PB 903 050	2"	56	15	37	*
PB 903 064	2.5"	62	16	37	*
PB 903 075	3"	70	18	37	*

* Bristle top percentage is at least 40%-90% Optional





• Features

- * Pet tapered filaments, white/Grey mixed
- * Plastic Handle, Milk color
- * Tin ferrule with size engraved

CODE	Size	Bristle Length out mm	Handle Thickness (mm)	Ferrule Height (mm)	Bristle Top %
貨號	規格	出峰	厚度	鐵殼高度	峰頭
PP 802 025	1"				100%
PP 802 038	1.5"				100%
PP 802 050	2"				100%
PP 802 064	2.5"				100%
PP 802 075	3"				100%
PP 802 100	4"				100%

PET tapered filaments, Yellow/black mixed

CODE	Size	Bristle Length out mm	Handle Thickness (mm)	Ferrule Height (mm)	Bristle Top %
貨號	規格	出峰	厚度	鐵殼高度	峰頭
PP 803 312	3X12				100%
PP 803 314	3X14				100%
PP 803 410	4X10				100%
PP 803 414	4X14				100%



• Features

- * PET tapered filaments, Yellow/black mixed
- * Plastic Handle, Milk color
- * Tin ferrule with size engraved



Natural Bristle, Plastic Handle, Dark Red



• Features

- * Boilded and white bristle
- * Plastic handle, Darkred
- * Tin ferrule with size engraved

CODE	Size	Bristle Length out mm	Handle Thickness (mm)	Ferrule Height (mm)	Bristle Top %
貨號	規格	出峰	厚度	鐵殼高度	峰頭
PB 804 312	3X12	44			*
PB 804 314	3X14	44			*
PB 804 410	4X10	51			*
PB 804 414	4X14	51			*

* Bristle top percentage is at least 40%-90% Optional

Natural Bristle, Wood Handle

CODE	Size	Bristle Length out mm	Handle Thickness (mm)	Ferrule Height (mm)	Bristle Top %
貨號	規格	出峰	厚度	鐵殼高度	峰頭
PP 807 312	3X12	57			*
PP 807 314	3X14	57			*
PP 807 410	4X10	69			*
PP 807 414	4X14	69			*

* Bristle top percentage is at least 40%-90% Optional



• Features

- * Boilded and white bristle
- * Wood handle, Clear varnished
- * Tin ferrule with size engraved





* Brush head packed by color box (Packing: CB)



* Brush head packed by color card and PVC Shranked (Packing: CS)



* Brush head packed by color PP bag (Packing: CP)

Natural Bristle, Plastic Handle, Yellow, Angle Adjustable



• Features

- * Boilded and white bristle
- * Plastic Handle, Yellow, Angle Adjustable
- * Tin ferrule with size in INCH and Metric engraved
- * Epoxy glue, Suitable for all paints

CODE	Size	Bristle Length out mm	Handle Thickness (mm)	Ferrule Height (mm)	Bristle Top %
貨號	規格	出峰	厚度	鐵殼高度	峰頭
PB 902064	2.5"	63		45	*
PB 902075	3"	63		45	*

* Bristle top percentage is at least 40%-90% Optional

Natural Bristle, Long Flat Wood Handle



• Features

- * Boilded and white bristle
- * Long flat Wood handle, natural color
- * Tin ferrule with size engraved

CODE	Size	Bristle Length out mm	Handle Thickness (mm)	Ferrule Height (mm)	Bristle Top %
貨號	規格	出峰	厚度	鐵殼高度	峰頭
WB 901025	1"	38	10		*
WB 901038	1.5"	38	10		*
WB 901050	2"	44	10		*
WB 901064	2.5"	44	10		*
WB 901075	3"	44	10		*

* Bristle top percentage is at least 40%-90% Optional

Artist paint brush, Round



CODE	Size
貨號	規格
HH 906001	#1
HH 906010	#1/0
HH 906002	#2
HH 906020	#2/0
HH 906003	#3
HH 906004	#4
HH 906005	#5
HH 906006	#6
HH 906007	#7
HH 906008	#8
HH 906009	#9

Artist paint brush, Flat



CODE	Size
貨號	規格
HH907001	#1
HH907010	#1/0
HH907002	#2
HH907020	#2/0
HH907003	#3
HH907004	#4
HH907005	#5
HH907006	#6
HH907007	#7
HH907008	#8
HH907009	#9





Natural bristle, boiled, White



Code 貨號	Size 規格	Bristle Top % 峰头
WB 001044	44mm	*
WB 001051	51mm	*
WB 001057	57mm	*
WB 001064	64mm	*
WB 001070	70mm	*
WB 001076	76mm	*
WB 001083	83mm	*
WB 001089	89mm	*
WB 001095	95mm	*
WB 001102	102mm	*
WB 001108	108mm	*

* Bristle top percentage is at least 40%-90% Optional

Natural bristle, boiled, black dyed



Code 貨號	Size 規格	Bristle Top % 峰头
BB 002044	44mm	*
BB 002051	51mm	*
BB 002057	57mm	*
BB 002064	64mm	*
BB 002070	70mm	*
BB 002076	76mm	*
BB 002083	83mm	*
BB 002089	89mm	*
BB 002095	95mm	*
BB 002102	102mm	*
BB 002108	108mm	*

* Bristle top percentage is at least 40%-90% Optional

Horse mane/ Horse tails hair



Code 貨號	Size 規格	Color 颜色
HB 0310408	4"-8"	white
HB 0310912	9"-12"	white
HB 0320408	4"-8"	red
HB 0320912	9"-12"	red
HB 0330408	4"-8"	black
HB 0330912	9"-12"	black
HB 0340408	4"-8"	mixed
HB 0340912	9"-12"	mixed

* Color can be white/Red/Black, Or mixed color
 * The horse hair can horse mane or horse tail
 * Length can be as per buyer's requirement





PVC Filaments, Light grey, Wave

Code	Size	Color
貨號	規格	顏色
FW 04	*	*

• Features

- *PVC Filaments, Light grey, Wave
- *Ideal for Cleaning brush purpose
- *Thickness and Length of filaments can be as per buyer's requirements
- *Filaments end is openable
- *Color can be as per buyer's requirements



PP Filaments, Green

Code	Size	Color
貨號	規格	顏色
FW 05	*	*

• Features

- *PP Filaments, Green
- *Ideal for Cleaning brush purpose
- *Thickness and Length of filaments can be as per buyer's requirements
- *Color can be as per buyer's requirements



PP Filaments, Black

Code	Size	Color
貨號	規格	顏色
FW 06	*	*

• Features

- *PP Filaments, Black
- *Ideal for Cleaning brush purpose
- *Thickness and Length of filaments can be as per buyer's requirements
- *Color can be as per buyer's requirements





Roller Refills fabric can be

- * Polyester
- * Acrylic
- * Polyamide
- * Micro fiber
- * Mohair Milk color (50% wool)

.....
Pile height can be
4mm-11mm-18mm optional

Roller Frame Can be

- * wires cage model or Single steel rod model
- * Steel rod can be Zinc plated or Chrome plated finish
- * Steel rod Dia can be 6mm or 8mm

Roller Refills Fabric

- * Thermally bound to core for extra solvent resistance
- * Adhesion strength $\geq 50N$

Roller Frame Handle

- * Handle inside can be with reinforcing ribs or thread
- * Handle model is optional

Roller refills

Code	Size (inch)	Density	Pile height
貨號	規格	克重	毛高
CAC 03 0338	3X1-1/2"	*	*
CAC 03 0438	4"X1-1/2"	*	*
CAC 03 0738	7"X1-1/2"	*	*
CAC 03 0938	9"X1-12"	950	18
CAC 03 0744	7"X1-3/4"	*	*
CAC 03 0944	9" X1-3/4"	*	*
CAC 03 1244	12"X1-3/4"	*	*
CAC 03 1544	15"X1-3/4"	*	*

* Pile height can be 6mm, 11mm, 18mm optional

* Fabric density is optional from low to high

Roller Frame

Code	Size (mm)	Frame	Handle
貨號	規格	鋼絲	手柄
SAC 60 1806	180	6	*
SAC 60 2006	200	6	*
SAC 60 2306	230	6	AC1600
SAC 60 2506	250	6	*
SAC 60 1808	180	8	*
SAC 60 2008	200	8	*
SAC 60 2308	230	8	*
SAC 60 2508	250	8	*

* Handle Model is optional

* Diam of the frame steel rod can be 6mm or 8mm optional

The fabric material, pile height is optional according to application purpose, the roller frame mode, handle models is optional according to the buyer's market, so, the final product's specification is subject to the agreement between buyer and seller.





Polyester Lemon,

Fabric is thermally bound to core for extra solvent resistance



Polyester Pink,

Fabric is thermally bound to core for extra solvent resistance



Polyester Blue,

Fabric is thermally bound to core for extra solvent resistance



Code	Size (inch)	Density	Pile height
貨號	規格	克重	毛高
CPL 01 0338	3X1-1/2"	*	*
CPL 01 0438	4"X1-1/2"	*	*
CPL 01 0738	7"X1-1/2"	*	*
CPL 01 0938	9"X1-12"	1080	18
CPL 01 0744	7"X1-3/4"	*	*
CPL 01 0944	9" X1-3/4"	*	*
CPL 01 1244	12"X1-3/4"	*	*
CPL 01 1544	15"X1-3/4"	*	*

* Pile height can be 6mm, 11mm,18mm optional
* Fabric density is optional from low to high

Code	Size (inch)	Density	Pile height
貨號	規格	克重	毛高
CPL 020338	3X1-1/2"	*	*
CPL 020438	4"X1-1/2"	*	*
CPL 020738	7"X1-1/2"	*	*
CPL 020938	9"X1-12"	1100	12
CPL 020744	7"X1-3/4"	*	*
CPL 020944	9" X1-3/4"	*	*
CPL 02 1244	12"X1-3/4"	*	*
CPL 02 1544	15"X1-3/4"	*	*

* Pile height can be 6mm, 11mm,18mm optional
* Fabric density is optional from low to high

Code	Size (inch)	Density	Pile height
貨號	規格	克重	毛高
CPL 030338	3X1-1/2"	*	*
CPL 030438	4"X1-1/2"	*	*
CPL 030738	7"X1-1/2"	*	*
CPL 030938	9"X1-12"	1200	15
CPL 030744	7"X1-3/4"	*	*
CPL 030944	9" X1-3/4"	*	*
CPL 03 1244	12"X1-3/4"	*	*
CPL 03 1544	15"X1-3/4"	*	*

* Pile height can be 6mm, 11mm,18mm optional
* Fabric density is optional from low to high





Polyester White,

Fabric is thermally bound to core for extra solvent resistance



Code	Size (inch)	Density	Pile height
貨號	規格	克重	毛高
CPL 04 0338	3X1-1/2"	*	*
CPL 04 0438	4"X1-1/2"	*	*
CPL 04 0738	7"X1-1/2"	*	*
CPL 04 0938	9"X1-12/16"	1100	12
CPL 04 0744	7"X1-3/4"	*	*
CPL 04 0944	9" X1-3/4"	*	*
CPL 04 1244	12"X1-3/4"	*	*
CPL 04 1544	15"X1-3/4"	*	*

* Pile height can be 6mm, 11mm, 18mm optional,
* Fabric density is optional from low to high

Polyester Orange ,

Fabric is thermally bound to core for extra solvent resistance



Code	Size (inch)	Density	Pile height
貨號	規格	克重	毛高
CPL 05 0338	3X1-1/2"	*	*
CPL 05 0438	4"X1-1/2"	*	*
CPL 05 0738	7"X1-1/2"	*	*
CPL 05 0938	9"X1-12/16"	1100	12
CPL 05 0744	7"X1-3/4"	*	*
CPL 05 0944	9" X1-3/4"	*	*
CPL 05 1244	12"X1-3/4"	*	*
CPL 05 1544	15"X1-3/4"	*	*

* Pile height can be 6mm, 11mm, 18mm optional,
* Fabric density is optional from low to high

Polyester sapphire blue,

Fabric is thermally bound to core for extra solvent resistance



Code	Size (inch)	Density	Pile height
貨號	規格	克重	毛高
CPL 06 0338	3X1-1/2"	*	*
CPL 06 0438	4"X1-1/2"	*	*
CPL 06 0738	7"X1-1/2"	*	*
CPL 06 0938	9"X1-12/16"	1450	20
CPL 06 0744	7"X1-3/4"	*	*
CPL 06 0944	9" X1-3/4"	*	*
CPL 06 1244	12"X1-3/4"	*	*
CPL 06 1544	15"X1-3/4"	*	*

* Pile height can be 6mm, 11mm, 18mm optional,
* Fabric density is optional from low to high

• CAGE SYSTEM ROLLER COVER •





Polyamide Single green strip,

Fabric is thermally bound to core for extra solvent resistance



Code	Size (inch)	Density	Pile height
货号	规格	克重	毛高
CPA 01 0338	3X1-1/2"	*	*
CPA 01 0438	4"X1-1/2"	*	*
CPA 01 0738	7"X1-1/2"	*	*
CPA 01 0938	9"X1-12/"	980g/M ²	11mm
CPA 01 0744	7"X1-3/4"	*	*
CPA 01 0944	9" X1-3/4"	*	*
CPA 01 1244	12"X1-3/4"	*	*
CPA 01 1544	15"X1-3/4"	*	*

* Pile height can be 6mm, 11mm, 18mm optional, Fabric density is optional from low to high

Polyamide Double brown strips,

Fabric is thermally bound to core for extra solvent resistance



Code	Size (inch)	Density	Pile height
貨號	規格	克重	毛高
CPA 02 0338	3X1-1/2"	*	*
CPA 02 0438	4"X1-1/2"	*	*
CPA 02 0738	7"X1-1/2"	*	*
CPA 02 0938	9"X1-12/"	980g/M ²	11mm
CPA 02 0744	7"X1-3/4"	*	*
CPA 02 0944	9" X1-3/4"	*	*
CPA 02 1244	12"X1-3/4"	*	*
CPA 02 1544	15"X1-3/4"	*	*

* Pile height can be 6mm, 11mm, 18mm optional,
* Fabric density is optional from low to high

Micro fiber White,

Fabric is thermally bound to core for extra solvent resistance



Code	Size (inch)	Density	Pile height
貨號	規格	克重	毛高
CMF 010338	3X1-1/2"	*	*
CMF 010438	4"X1-1/2"	*	*
CMF 010738	7"X1-1/2"	*	*
CMF 010938	9"X1-12/"	850	11
CMF 010744	7"X1-3/4"	*	*
CMF 010944	9" X1-3/4"	*	*
CMF 011244	12"X1-3/4"	*	*
CMF 011544	15"X1-3/4"	*	*

* Pile height can be 6mm, 11mm, 18mm optional,
* Fabric density is optional from low to high

Micro fiber Red stains,

Fabric is thermally bound to core for extra solvent resistance



Code	Size (inch)	Density	Pile height
貨號	規格	克重	毛高
CMF 02 0338	3X1-1/2"	*	*
CMF 02 0438	4"X1-1/2"	*	*
CMF 02 0738	7"X1-1/2"	*	*
CMF 02 0938	9"X1-12/"	850	11
CMF 02 0744	7"X1-3/4"	*	*
CMF 02 0944	9" X1-3/4"	*	*
CMF 02 1244	12"X1-3/4"	*	*
CMF 02 1544	15"X1-3/4"	*	*

* Pile height can be 6mm, 11mm, 18mm optional,
* Fabric density is optional from low to high





Micro Fiber, Single Blue strip,

Fabric is thermally bound to core for extra solvent resistance



Code	Size (inch)	Density	Pile height
貨號	規格	克重	毛高
CMF030338	3X1-1/2"	*	*
CMF030438	4"X1-1/2"	*	*
CMF030738	7"X1-1/2"	*	*
CMF030938	9"X1-12/"	850	11
CMF030744	7"X1-3/4"	*	*
CMF030944	9" X1-3/4"	*	*
CMF031244	12"X1-3/4"	*	*
CMF031544	15"X1-3/4"	*	*

* Pile height can be 6mm, 11mm, 18mm optional,
* Fabric density is optional from low to high

Micro Fiber, Double Brown strips,

Fabric is thermally bound to core for extra solvent resistance



Code	Size (inch)	Density	Pile height
貨號	規格	克重	毛高
CMF 04 0338	3X1-1/2"	*	*
CMF 04 0438	4"X1-1/2"	*	*
CMF 04 0738	7"X1-1/2"	*	*
CMF 04 0938	9"X1-12/"	850	11
CMF 04 0744	7"X1-3/4"	*	*
CMF 04 0944	9" X1-3/4"	*	*
CMF 04 1244	12"X1-3/4"	*	*
CMF 04 1544	15"X1-3/4"	*	*

* Pile height can be 6mm, 11mm, 18mm optional,
* Fabric density is optional from low to high

Mohair Milk color (50% wool),

Fabric is thermally bound to core for extra solvent resistance



Code	Size (inch)	Density	Pile height
貨號	規格	克重	毛高
MH 010338	3X1-1/2"	*	*
MH 010438	4"X1-1/2"	*	*
MH 010738	7"X1-1/2"	*	*
MH 010938	9"X1-12/"	780	4
MH 010744	7"X1-3/4"	*	*
MH 010944	9" X1-3/4"	*	*
MH 011244	12"X1-3/4"	*	*
MH 011544	15"X1-3/4"	*	*

* Pile height can be 6mm, 11mm, 18mm optional,
* Fabric density is optional from low to high





Rough Foam yellow,

Rough, Oil based , Foam Imported




Code	Size (inch)	Density	Pile height
貨號	規格	克重	毛高
CFM 01 0338	3X1-1/2"	*	*
CFM 01 0438	4"X1-1/2"	*	*
CFM 01 0738	7"X1-1/2"	*	*
CFM 01 0938	9"X1-12/"	*	*
CFM 01 0744	7"X1-3/4"	*	*
CFM 01 0944	9" X1-3/4"	*	*
CFM 01 1244	12"X1-3/4"	*	*
CFM 01 1544	15"X1-3/4"	*	*

* Foam Density is optional from low to high
 * For Wall surface napping purpose only

Foam Yellow , Cucurbit,

Water base, Foam Chinese



Code	Size (inch)	Density	Pile height
貨號	規格	克重	毛高
CFM02 0338	3X1-1/2"	*	*
CFM02 0438	4"X1-1/2"	*	*
CFM02 0738	7"X1-1/2"	*	*
CFM02 0938	9"X1-12/"	*	*
CFM02 0744	7"X1-3/4"	*	*
CFM02 0944	9" X1-3/4"	*	*
CFM02 1244	12"X1-3/4"	*	*
CFM02 1544	15"X1-3/4"	*	*

* Foam Density is optional from low to high





Acrylic 325Green,

Fabric is thermally bound to core for extra solvent resistance



Acrylic Single grey strip,

Fabric is thermally bound to core for extra solvent resistance



Acrylic Single Yellow strip,

Fabric is thermally bound to core for extra solvent resistance



Acrylic Double Green/Grey strips

Fabric is thermally bound to core for extra solvent resistance



Acrylic Double Red/Grey strips ,

Fabric is thermally bound to core for extra solvent resistance



Code 貨號	Size (inch) 規格	Density 克重	Pile height 毛高
CAC 01 0338	3X1-1/2"	*	*
CAC 01 0438	4"X1-1/2"	*	*
CAC 01 0738	7"X1-1/2"	*	*
CAC 01 0938	9"X1-12/"	1080	18
CAC 01 0744	7"X1-3/4"	*	*
CAC 01 0944	9" X1-3/4"	*	*
CAC 01 1244	12"X1-3/4"	*	*
CAC 01 1544	15"X1-3/4"	*	*

* Pile height can be 6mm, 11mm, 18mm optional,
* Fabric density is optional from low to high

Code 貨號	Size (inch) 規格	Density 克重	Pile height 毛高
CAC 02 0338	3X1-1/2"	*	*
CAC 02 0438	4"X1-1/2"	*	*
CAC 02 0738	7"X1-1/2"	*	*
CAC 02 0938	9"X1-12/"	950	11
CAC 02 0744	7"X1-3/4"	*	*
CAC 02 0944	9" X1-3/4"	*	*
CAC 02 1244	12"X1-3/4"	*	*
CAC 02 1544	15"X1-3/4"	*	*

* Pile height can be 6mm, 11mm, 18mm optional,
* Fabric density is optional from low to high

Code 貨號	Size (inch) 規格	Density 克重	Pile height 毛高
CAC 03 0338	3X1-1/2"	*	*
CAC 03 0438	4"X1-1/2"	*	*
CAC 03 0738	7"X1-1/2"	*	*
CAC 03 0938	9"X1-12/"	950	11
CAC 03 0744	7"X1-3/4"	*	*
CAC 03 0944	9" X1-3/4"	*	*
CAC 03 1244	12"X1-3/4"	*	*
CAC 03 1544	15"X1-3/4"	*	*

* Pile height can be 6mm, 11mm, 18mm optional,
* Fabric density is optional from low to high

Code 貨號	Size (inch) 規格	Density 克重	Pile height 毛高
CAC 04 0338	3X1-1/2"	*	*
CAC 04 0438	4"X1-1/2"	*	*
CAC 04 0738	7"X1-1/2"	*	*
CAC 04 0938	9"X1-12/"	950	12
CAC 04 0744	7"X1-3/4"	*	*
CAC 04 0944	9" X1-3/4"	*	*
CAC 04 1244	12"X1-3/4"	*	*
CAC 04 1544	15"X1-3/4"	*	*

* Pile height can be 6mm, 11mm, 18mm optional,
* Fabric density is optional from low to high

Code 貨號	Size (inch) 規格	Density 克重	Pile height 毛高
CAC 05 0338	3X1-1/2"	*	*
CAC 05 0438	4"X1-1/2"	*	*
CAC 05 0738	7"X1-1/2"	*	*
CAC 05 0938	9"X1-12/"	950	11
CAC 05 0744	7"X1-3/4"	*	*
CAC 05 0944	9" X1-3/4"	*	*
CAC 05 1244	12"X1-3/4"	*	*
CAC 05 1544	15"X1-3/4"	*	*

* Pile height can be 6mm, 11mm, 18mm optional,
* Fabric density is optional from low to high

CAGE SYSTEM ROLLER COVER

PaintingPro™

www.toolchina.com



Polypropylene- Acrylic Double Blue strips,

Fabric is thermally bound to core for extra solvent resistance



Code	Size (inch)	Density	Pile height
貨號	規格	克重	毛高
CAC 06 0338	3X1-1/2"	*	*
CAC 06 0438	4"X1-1/2"	*	*
CAC 06 0738	7"X1-1/2"	*	*
CAC 06 0938	9"X1-12/"	850	12
CAC 06 0744	7"X1-3/4"	*	*
CAC 06 0944	9" X1-3/4"	*	*
CAC 06 1244	12"X1-3/4"	*	*
CAC 06 1544	15"X1-3/4"	*	*

* Pile height can be 6mm, 11mm, 18mm optional,
* Fabric density is optional from low to high

Polypropylene- Acrylic, Yellow/Grey/White,

Fabric is thermally bound to core for extra solvent resistance



Code	Size (inch)	Density	Pile height
貨號	規格	克重	毛高
CAC 07 0338	3X1-1/2"	*	*
CAC 07 0438	4"X1-1/2"	*	*
CAC 07 0738	7"X1-1/2"	*	*
CAC 07 0938	9"X1-12/"	950	11
CAC 07 0744	7"X1-3/4"	*	*
CAC 07 0944	9" X1-3/4"	*	*
CAC 07 1244	12"X1-3/4"	*	*
CAC 07 1544	15"X1-3/4"	*	*

* Pile height can be 6mm, 11mm, 18mm optional,
* Fabric density is optional from low to high

Polypropylene- Acrylic, Red/Blue/Green,

Fabric is thermally bound to core for extra solvent resistance



Code	Size (inch)	Density	Pile height
貨號	規格	克重	毛高
CAC 08 0338	3X1-1/2"	*	*
CAC 08 0438	4"X1-1/2"	*	*
CAC 08 0738	7"X1-1/2"	*	*
CAC 08 0938	9"X1-12/"	950	11
CAC 08 0744	7"X1-3/4"	*	*
CAC 08 0944	9" X1-3/4"	*	*
CAC 08 1244	12"X1-3/4"	*	*
CAC 08 1544	15"X1-3/4"	*	*

* Pile height can be 6mm, 11mm, 18mm optional,
* Fabric density is optional from low to high

Acrylic Rainbow,

Fabric is thermally bound to core for extra solvent resistance



Code	Size (inch)	Density	Pile height
貨號	規格	克重	毛高
CAC 09 0338	3X1-1/2"	*	*
CAC 09 0438	4"X1-1/2"	*	*
CAC 09 0738	7"X1-1/2"	*	*
CAC 09 0938	9"X1-12/"	950	11
CAC 09 0744	7"X1-3/4"	*	*
CAC 09 0944	9" X1-3/4"	*	*
CAC 09 1244	12"X1-3/4"	*	*
CAC 09 1544	15"X1-3/4"	*	*

* Pile height can be 6mm, 11mm, 18mm optional,
* Fabric density is optional from low to high





Acrylic Tiger,

Fabric is thermally bound to core for extra solvent resistance



Code	Size (inch)	Density	Pile height
貨號	規格	克重	毛高
CAC10 0338	3X1-1/2"	*	*
CAC10 0438	4"X1-1/2"	*	*
CAC10 0738	7"X1-1/2"	*	*
CAC10 0938	9"X1-12/"	*	*
CAC10 0744	7"X1-3/4"	*	*
CAC10 0944	9" X1-3/4"	*	*
CAC10 1244	12"X1-3/4"	*	*
CAC10 1544	15"X1-3/4"	*	*

* Pile height can be 6mm, 11mm, 18mm optional,
* Fabric density is optional from low to high

Acrylic chrysanthemum,

Fabric is thermally bound to core for extra solvent resistance



Code	Size (inch)	Density	Pile height
貨號	規格	克重	毛高
CAC110338	3X1-1/2"	*	*
CAC110438	4"X1-1/2"	*	*
CAC110738	7"X1-1/2"	*	*
CAC110938	9"X1-12/"	*	*
CAC110744	7"X1-3/4"	*	*
CAC110944	9" X1-3/4"	*	*
CAC111244	12"X1-3/4"	*	*
CAC111544	15"X1-3/4"	*	*

* Pile height can be 6mm, 11mm, 18mm optional,
* Fabric density is optional from low to high

Acrylic chrysanthemum, Plastic Tube Packing (Packing: PT)



Metal Brand Cap Optional (Packing: MC)



Acrylic Green, Color PP bag packing (Packing : PB)





Polypropylene- Acrylic, Light Green,

Fabric sewed to core for extra solvent resistance



Polypropylene- Acrylic, Yellow ,

Fabric sewed to core for extra solvent resistance



Acrylic Light Green Straight Strip,

Fabric sewed to core for extra solvent resistance



Code	Size (mm)	Density	Pile height
貨號	規格	克重	毛高
SAC011838	180X38	*	*
SAC012238	220x38	950	18
SAC011848	180x48	*	*
SAC012048	200x48	*	*
SAC012548	250x48	*	*
SAC011855	180x55	*	*
SAC012555	250x55	*	*

* Pile height can be 6mm, 11mm,18mm optional,
* Fabric density is optional from low to high

Code	Size (mm)	Density	Pile height
貨號	規格	克重	毛高
SAC021838	180X38	*	*
SAC022238	220x38	950	18
SAC021848	180x48	*	*
SAC022048	200x48	*	*
SAC022548	250x48	*	*
SAC021855	180x55	*	*
SAC022555	250x55	*	*

* Pile height can be 6mm, 11mm,18mm optional,
* Fabric density is optional from low to high

Code	Size (mm)	Density	Pile height
貨號	規格	克重	毛高
SAC031838	180X38	*	*
SAC032238	220x38	1180	18
SAC031848	180x48	*	*
SAC032048	200x48	*	*
SAC032548	250x48	*	*
SAC031855	180x55	*	*
SAC032555	250x55	*	*

* Pile height can be 6mm, 11mm,18mm optional,
* Fabric density is optional from low to high



PaintingPro™

www.toolchina.com



Acrylic Light Green Straight Strip,

Fabric sewed to core for extra solvent resistance



	Size (mm)		
貨號	規格	克重	毛高
SAC041838	180X38	*	*
SAC042238	220x38	950	11
SAC041848	180x48	*	*
SAC042048	200x48	*	*
SAC042548	250x48	*	*
SAC041855	180x55	*	*
SAC042555	250x55	*	*

* Pile height can be 6mm, 11mm, 18mm optional,

* Fabric density is optional from low to high

Acrylic Light Green Straight Strip,

Fabric sewed to core for extra solvent resistance



Code	Size (mm)	Density	Pile height
貨號	規格	克重	毛高
SAC051838	180X38	*	*
SAC052238	220x38	1200	22
SAC051848	180x48	*	*
SAC052048	200x48	*	*
SAC052548	250x48	*	*
SAC051855	180x55	*	*
SAC052555	250x55	*	*

* Pile height can be 6mm, 11mm, 18mm optional,

* Fabric density is optional from low to high

Acrylic Single green strip,

Fabric is thermally bound to core for extra solvent resistance



Code	Size (mm)	Density	Pile height
貨號	規格	克重	毛高
SAC061838	180X38	*	*
SAC062238	220x38	950	11
SAC061848	180x48	*	*
SAC062048	200x48	*	*
SAC062548	250x48	*	*
SAC061855	180x55	*	*
SAC062555	250x55	*	*

* Pile height can be 6mm, 11mm, 18mm optional,

* Fabric density is optional from low to high



STICK SYSTEM ROLLER COVER



Acrylic Single Yellow strip,

Fabric is thermally bound to core for extra solvent resistance



Acrylic Orange with Blue strip,

Fabric is thermally bound to core for extra solvent resistance



Acrylic Double Red/Grey strips

Fabric is thermally bound to core for extra solvent resistance



Polyester sapphire blue

Fabric is thermally bound to core for extra solvent resistance



Code	Size (mm)	Density	Pile height
貨號	規格	克重	毛高
SAC071838	180X38	*	*
SAC072238	220x38	950	11
SAC071848	180x48	*	*
SAC072048	200x48	*	*
SAC072548	250x48	*	*
SAC071855	180x55	*	*
SAC072555	250x55	*	*

* Pile height can be 6mm, 11mm,18mm optional,

* Fabric density is optional from low to high

Code	Size (mm)	Density	Pile height
貨號	規格	克重	毛高
SAC081838	180X38	*	*
SAC082238	220x38	950	11
SAC081848	180x48	*	*
SAC082048	200x48	*	*
SAC082548	250x48	*	*
SAC081855	180x55	*	*
SAC082555	250x55	*	*

* Pile height can be 6mm, 11mm,18mm optional,

* Fabric density is optional from low to high

Code	Size (mm)	Density	Pile height
貨號	規格	克重	毛高
SAC091838	180X38	*	*
SAC092238	220x38	950	11
SAC091848	180x48	*	*
SAC092048	200x48	*	*
SAC092548	250x48	*	*
SAC091855	180x55	*	*
SAC092555	250x55	*	*

* Pile height can be 6mm, 11mm,18mm optional,


* Fabric density is optional from low to high

Code	Size (mm)	Density	Pile height
貨號	規格	克重	毛高
SPL011838	180X38	1450	20
SPL012238	220x38	*	*
SPL011848	180x48	*	*
SPL012048	200x48	*	*
SPL012548	250x48	*	*
SPL011855	180x55	*	*
SPL012555	250x55	*	*

* Pile height can be 6mm, 11mm,18mm optional,

* Fabric density is optional from low to high





Micro Fiber Red stains,

Fabric is thermally bound to core for extra solvent resistance



Mohair Milk color (50% wool),

Fabric is thermally bound to core for extra solvent resistance



Foam Yellow Rough,

Foam imported



Foam Yellow Medium,

Foam imported



Foam Yellow Fine,

Foam imported



Code	Size (mm)	Density	Pile height
貨號	規格	克重	毛高
SMF011838	180X38	*	*
SMF012238	220x38	*	*
SMF011848	180x48	*	*
SMF012048	200x48	*	*
SMF012548	250x48	*	*
SMF011855	180x55	*	*
SMF012555	250x55	*	*

* Pile height can be 6mm, 11mm,18mm optional,
* Fabric density is optional from low to high

Code	Size (mm)	Density	Pile height
貨號	規格	克重	毛高
SMH011838	180X38	*	*
SMH012238	220x38	*	*
SMH011848	180x48	*	*
SMH012048	200x48	*	*
SMH012548	250x48	*	*
SMH011855	180x55	*	*
SMH012555	250x55	*	*

* Pile height can be 6mm, 11mm,18mm optional,
* Fabric density is optional from low to high

Code	Size (mm)	Density	Pile height
貨號	規格	克重	毛高
SFM011838	180X38	*	*
SFM012238	220x38	*	*
SFM011848	180x48	*	*
SFM012048	200x48	*	*
SFM012548	250x48	*	*
SFM011855	180x55	*	*
SFM012555	250x55	*	*

* Foam Density is optional from low to high
* For Wall surface napping purpose only

Code	Size (mm)	Density	Pile height
貨號	規格	克重	毛高
SFM021838	180X38	*	*
SFM022238	220x38	*	*
SFM021848	180x48	*	*
SFM022048	200x48	*	*
SFM022548	250x48	*	*
SFM021855	180x55	*	*
SFM022555	250x55	*	*

* Foam Density is optional from low to high

Code	Size (mm)	Density	Pile height
貨號	規格	克重	毛高
SFM031838	180X38	*	*
SFM032238	220x38	*	*
SFM031848	180x48	*	*
SFM032048	200x48	*	*
SFM032548	250x48	*	*
SFM031855	180x55	*	*
SFM032555	250x55	*	*

* Foam Density is optional from low to high



Acrylic Tiger



Acrylic Yellow single strip



Acrylic Rainow



Code	Size (mm)	Density	Pile height
貨號	規格	克重	毛高
MAC010515	50X15	*	11mm
MAC010715	70X15	*	11mm
MAC011015	100X15	950	11mm
MAC011515	150X15	*	11mm
MAC011021	100X21	*	11mm
MAC011521	150X21	*	11mm

* Pile height can be 6mm, 11mm, 18mm optional,
* Fabric density is optional from low to high

Code	Size (mm)	Density	Pile height
貨號	規格	克重	毛高
MAC010515	50X15	*	11mm
MAC010715	70X15	*	11mm
MAC011015	100X15	950	11mm
MAC011515	150X15	*	11mm
MAC011021	100X21	*	11mm
MAC011521	150X21	*	11mm

* Pile height can be 6mm, 11mm, 18mm optional,
* Fabric density is optional from low to high

Code	Size (mm)	Density	Pile height
貨號	規格	克重	毛高
MAC010515	50X15	*	11mm
MAC010715	70X15	*	11mm
MAC011015	100X15	950	11mm
MAC011515	150X15	*	11mm
MAC011021	100X21	*	11mm
MAC011521	150X21	*	11mm

* Pile height can be 6mm, 11mm, 18mm optional,
* Fabric density is optional from low to high



Acrylic Yellow single Strip , 10pcs/set
Double blister packing w/color label
(Packing : DB)



Acrylic Yellow single Strip , 60pcs/set
Polybag and head card (Packing : PH)





Foam Yellow Rough,

Foam imported , Density 50



Code	Size (mm)	Density	Pile height
貨號	規格	克重	毛高
MFM011838	50x35	*	*
MFM012238	70X15	*	*
MFM011848	110x35	*	*
MFM012048	160x35	*	*

* Density is optional from low to high

Foam white

Both round ends ,, Foam imported Or Chinese , Density 50



Code	Size (mm)	Density	Pile height
貨號	規格	克重	毛高
MFM021838	50x35	*	*
MFM022238	70X15	*	*
MFM021848	110x35	*	*
MFM022048	160x35	*	*

* Density is optional from low to high

Foam white

Both round ends ,, Foam imported Or Chinese , Density 50



Code	Size (mm)	Density	Pile height
貨號	規格	克重	毛高
MFM031838	50x35	*	*
MFM032238	70X15	*	*
MFM031848	110x35	*	*
MFM032048	160x35	*	*

* Density is optional from low to high

Velour Orange,

Foam imported , Density 50



Code	Size (mm)	Density	Pile height
貨號	規格	克重	毛高
MFL010515	50x15	*	5mm
MFL010715	70X15	*	5mm
MFL011015	100x15	*	5mm
MFL011515	150x15	*	5mm
MFL011021	100x21	*	5mm
MFL011521	150x21	*	5mm

* Foam density is optional from low to high

Mohair Milk color (50% wool)



Code	Size (mm)	Density	Pile height
貨號	規格	克重	毛高
MMH010515	50x15	*	5mm
MMH010715	70X15	*	5mm
MMH011015	100x15	*	5mm
MMH011515	150x15	*	5mm
MMH011021	100x21	*	5mm
MMH011521	150x21	*	5mm

* Pile height can be 6mm, 11mm,18mm optional,
* Fabric density is optional from low to high



MINI STICK SYSTEM REFILLS



Corner paint pad. 4"/100mm

#222201



Flat paint pad 5"/127mm

#222202



**Flat paint pad, 15X10.5CMX 15MM ,
Handle angle fixed.**

Paint pad replaceable

#222203



**Flat paint pad, 23X10.5CMX15MM
Handle angle adjustable**

Paint pad replaceable

#222204





Flat paint pad, Short, Paint pad replaceable

#222205
3"x6"



Handle angle adjustable

Flat paint pad, Long, Paint pad replaceable

#222206
3"x9"



Handle angle adjustable

Paint sponge Artificial

#222207



Paint sponge Natural

#222208



Corner Form brush 4"/100MM

#222209



Foam paint brush, wood handle, 6pc/set

#222210





**Adaptor connect handle,
Handle length from 130mm-140mm**



AC1351



AC1352



AC1353



AC1354

**Adaptor connect handle,
Handle length from 145mm-150mm**



AC1500



AC1501



AC1502



AC1503

**PaintingPro Cucurbit Handle,
length around 160 mm**



AC1600



AC1601

**Double color, TPR Grip handle,
Handle length around 160 mm**



AC1606



AC1506

PAINT ROLLER FRAME HANDLES



Double color, TPR Grip handle,
Handle length around 175mm

PaintingPro



#AC1756



#AC1757



#AC1758



#AC1759

PaintingPro

Aluminum extend pole +
Adaptor +Frame Handle



Adaptor A /B /C



A



B



C



PaintingPro Aluminum extend pole +
Adaptor +Frame Handle

Universal roller frame
(Cage system roller cover)

#222235



Economic Handle
length 110mm

W, Handle length 140mm

Double color ,TPR Grip ,
Handle length 140mm



TC1100



TC1355



TC1356

Economic Handle length
135-140 mm

Greatwall ,
Handle length 150mm



TC1350



TC1351



TC1352



TC1500

TPR Grip,Double colo,
Handle length 150mm

Double color, TPR Grip handle,
Handle length around 175mm



TC1506



TC1756



TC1757





Telescopic handle roller frame
(Cage system roller cover)

#222236

Feature:

- * Cage Size: 9"XØ38,
- * Total Length from 45 (Closed)-90CM (extended) ,
- * Steel Rod Dia. 7.80±0.1mm,
- * Aluminum pole Dia. 19mm±0.1mm.
- * Dpuble color , EVA soft handle grip.


U steel rod handle, Foam rolling painter,
2 sapre form rollers 2"

#222237



PaintingPro™

www.toolchina.com



Heavy duty, 5 wires cage,

Thread inside the Handle



Code	Size (inch)	Frame	Handle
貨號	規格	鋼絲	手柄
CTC350338	3"X1-1/2"	*	*
CTC350738	7"X1-1/2"	*	*
CTC350938	9"X1-1/2"	*	*
CTC350744	7"X1-3/4"	*	*
CTC350944	9" X1-3/4"	*	*

* Handle Model is optional,
* Diam of the frame steel rod can be 6mm or 8mm optional

Normal, 5 wires cage,

Thread inside the Handle



Code	Size (inch)	Frame	Handle
貨號	規格	鋼絲	手柄
CTC320338	3"X1-1/2"	*	*
CTC320738	7"X1-1/2"	*	*
CTC320938	9"X1-1/2"	*	*
CTC320744	7"X1-3/4"	*	*
CTC320944	9" X1-3/4"	*	*

* Handle Model is optional,
* Diam of the frame steel rod can be 6mm or 8mm optional

5 Wires Cage,

einforced rib inside the handle



Code	Size (inch)	Frame	Handle
貨號	規格	鋼絲	手柄
CAC600338	3"X1-1/2"	*	*
CAC600738	7"X1-1/2"	*	*
CAC600938	9"X1-1/2"	*	*
CAC600744	7"X1-3/4"	*	*
CAC600944	9" X1-3/4"	*	*

* Handle Model is optional,
* Diam of the frame steel rod can be 6mm or 8mm optional

Economic Single steel rod ,

Thread inside the Handle



Code	Size (inch)	Frame	Handle
貨號	規格	鋼絲	手柄
CTC320338	3"X1-1/2"	*	*
CTC320738	7"X1-1/2"	*	*
CTC320938	9"X1-1/2"	*	*

* Handle Model is optional,
* Diam of the frame steel rod can be 6mm or 8mm optional

Europe Type

Stick system Roller cover Frame

Single steel rod,

Reinforced rib inside the handle



Code	Size (mm)	Frame	Handle
貨號	規格	鋼絲	手柄
SAC391806	180	6	*
SAC392006	200	6	*
SAC392306	230	6	*
SAC392506	250	6	*
SAC391808	180	8	*
SAC392008	200	8	*
SAC392308	230	8	*
SAC392508	250	8	*

* Pile height can be 6mm, 11mm, 18mm optional,
* Fabric density is optional from low to high



ROLLER FRAME



Single steel rod,

Mini roller refill frame



Code	Size (mm)	Frame	Handle
貨號	規格	鋼絲	手柄
SAC511010	100X10"	6	A
SAC781011	100X11"	6	B
SAC501012	100X12"	6	C
SAC601011	100X11"	6	D
SAC321013	100X12.5"	6	E
SAC321016	100X16"	6	F
SAC511016	100X16"	6	G

* Handle Model is optional.
 * Diam of the frame steel rod can be 6mm or 8mm optional
 * Total length can be 10", 11", 12", 14", 16" optional

Mini Roller

#222231



Mini Roller

#222232



PaintingPro

Fixed Paint roller frame & Cover

#222233



Ceiling roller frame and roller cover (Cage system)

PaintingPro

#222234



Feature:

- * Stick system roller frame, Rod Dia.6mm, Yelloww Plastic handle. 18mm Pile height
- * Acrylic Single Yellow strip, Fabric is thermally bound to core for extra solvent resistance
- * Size: 9"X1-1/2"

Feature:

- * Size: 9"X1-1/2"
- * Cage system roller cover
- * Ceiling roller frame, Adjustable handle



PaintingPro 2223501

Paint tray Black 9 inch,
Big foot

PaintingPro

+

Paint tray Black 9 inch,
With hanger

Paint tray Black 9 inch,
Small foot

Paint tray Black 9 inch,
Economic model



#2223501



#2223502



#2223503



#2223504

Paint tray, Yellow, 9 inch,
Big foot

Paint tray Black 9 inch
Round foot

PaintingPro

+

Paint tray, Red, 9 inch

Paint tray Green 7 inch



#2223505



#2223506



#2223507



#2223508

Paint tray Black 7 inch,
With hanger

Paint tray Black 7 inch,
With hanger, Round foot

PaintingPro


+

Paint tray Yellow 7 inch,
Round foot

Paint tray Red 4 inch,
With hanger



#2223509



#2223510



#2223511



#2223512

Paint tray Black 4 inch,
With hanger, Round foot

Paint tray Black 4 inch,
With hanger

Paint tray Black 4 inch,
With hanger

PaintingPro

+

Paint tray Red 4 inch,
With hanger



#2223514



#2223513



#2223515



#2223516

Paint tray , Metal,

#2223500



Magnetic Paint brush holder

#2224504




Paint Grid, Plastic ,Economic

#2223001



Paint Grid, Metal, galvanized, 50 gallon

#2223002



Paint Grid, Plastic , Heavy duty

#2223003



Paint hooks , Snap hook

#2224501



Paint Can opener

#2224502



Paint hooks, Clip

#2224503



PaintingPro™

www.toolchina.com



OUT DOOR

- * Quick to apply
- * Easy to tear
- * No sticky residue,
- * Electrostatic adherence



PaintingPro™

IN DOOR

- * Multi-surface protection




MASKING TAPE COVERING FILMS


The making tape width, thickness, width and length of the HDPE films is optional according to application purpose, and the buyer's requirements, so, the final product's specification is subject to the agreement between buyer and seller.




Masking tape covering films collections



Open and adherence.....



Cutting.....



Painting.....

In Door Purpose ,

Film width 0.30 / 0.55 M optional



Code	Size (m x m)	thickness	Tape width
貨號	規格	厚度	寬度
ID 15 0320	0.30x20	0.009	15
ID 15 0325	0.30X25	0.009	15
ID 15 0330	0.30X30	0.009	15
ID 15 0333	0.30X33	0.009	15
ID 15 0520	0.55X20	0.009	15
ID 15 0525	0.55X25	0.009	15
ID 15 0530	0.55X30	0.009	15
ID 15 0533	0.55X33	0.009	15

Film length 20 /25/ 30/33M optional

Out door purpose ,

Film width 0.30 / 2.70 M optional



Code	Size (m x m)	thickness	Tape width
貨號	規格	厚度	寬度
OD 15 0520	0.55x20	0.01	15
OD 15 0525	0.55x25	0.01	15
OD 15 0530	0.55x30	0.01	15
OD 15 0533	0.55x33	0.01	15
OD 15 2720	27x20	0.01	15
OD 15 2725	27x25	0.01	15
OD 15 2730	27x30	0.01	15
OD 15 2733	27x33	0.01	15

Film length 20 /25/ 30/33M optional





In Door Purpose ,

Film width 1.10 / 1.40 / 1.80 M optional



Code	Size (cm x m)	thickness	Tape width
貨號	規格	厚度	寬度
ID 191120	1.10X20	0.009	19
ID 191125	1.10X25	0.009	19
ID 191130	1.10X30	0.009	19
ID 191133	1.10X33	0.009	19
ID 191420	1.40X20	0.009	19
ID 191425	1.40X25	0.009	19
ID 191430	1.40X30	0.009	19
ID 191433	1.40X33	0.009	19
ID 191820	1.80X20	0.009	19
ID 191825	1.80X25	0.009	19
ID 191830	1.80X30	0.009	19
ID 191833	1.80X33	0.009	19

Film length 20 /25/ 30/33M optional

In Door Purpose ,

Film width 2.10 / 2.40 / 2.70 M optional



Code	Size (cm x m)	thickness	Tape width
貨號	規格	厚度	寬度
ID 193020	21X16	0.008	19
ID 193025	21X20	0.008	19
ID 193030	21X25	0.008	19
ID 193033	21X30	0.008	19
ID 195520	24X16	0.008	19
ID 195525	24X20	0.008	19
ID 195530	24X25	0.008	19
ID 195533	24X30	0.008	19
ID 195520	27X16	0.008	19
ID 195525	27X20	0.008	19
ID 195530	27X25	0.008	19
ID 195533	27X30	0.008	19

Film length 20 /25/ 30/33M optional

Paper,

Width 0.15/0.18/0.30/0.55m optional



Code	Size (cm x m)	thickness	Tape width
貨號	規格	厚度	寬度
PP 161520	0.15X20	35/40	16
PP 161525	0.15X25	35/40	16
PP 161530	0.15X30	35/40	16
PP 161820	0.18X20	35/40	16
PP 161825	0.18X25	35/40	16
PP 161830	0.18X30	35/40	16
PP 163020	0.30X20	35/40	16
PP 163025	0.30X25	35/40	16
PP 163030	0.30X30	35/40	16
PP 165520	0.55X20	35/40	16
PP 165525	0.55X25	35/40	16
PP 165530	0.55X30	35/40	16

Film length 20 /25/ 30/33M optional

Dispenser 215mm with cutting teeth



Dispenser 102mm with cutting teeth



PaintingPro

Paint Mitts

#22240-1

#22240-2



Painter tools bag

#22244



PaintingPro

Masking Tape

#22241



Disposable Mask

#22242



Disposable Coveralls

#22243



Safety Goggle

#22312





Painters Scraper, Double color handle, TPR Grip



Code	Size	Finish	Material
貨號	規格	表面	材料
SC 000025	1"	*	*
SC 000038	1-1/2"	*	*
SC 000051	2"	*	*
SC 000064	2-1/2"	*	*
SC 000076	3"	*	*
SC 000101	4"	*	*
SC 000127	5"	*	*
SC 000152	6"	*	*
SC 000020	20mm	*	*
SC 000030	30mm	*	*
SC 000040	40mm	*	*
SC 000050	50mm	*	*
SC 000060	60mm	*	*
SC 000070	70mm	*	*
SC 000080	80mm	*	*
SC 000090	90mm	*	*
SC 000100	100mm	*	*
SC 000120	120mm	*	*

* Material can be stainless steel, Carbon steel optional
 * Finish can be precision polished, mirror polished
 * Handle Model is optional

Double color handle, TPR Grip



#22270-01



#22270-02



#22270-03



#22270-04



#22270-05



#22270-06



#22270-07



#22270-08



#22270-09



#22270-10

Scraper Handle, Plastic handle



#22270-11



#22270-12



#22270-13



#22270-14



#22270-15



#22270-16



#22270-17



#22270-21

Scraper handle, wood.



#22270-18



#22270-19



#22270-20



#22270-25



#22270-22



#22270-23



#22270-24





PaintingPro

Plastic Scrapers

#22267



Plastic Scrapers, with teeth

#22265



Plastic Scrapers, w/reinforcing ribs

#22266



PaintingPro


4PC/SET Plastic scrapers

#22268



4PC/SET Metal Scrapers

#22269



Scraper w/metal blades, 170mm

#22275



PaintingPro

Heavy duty handle cutter 18mm

#21716



3PC Knives set, Multi-purpose

#21735



Utility knife


#21726



PaintingPro

Hacksaw Frame, Economic, 12"/300MM

#21781




PaintingPro

Hacksaw Frame, Professional, 12"/300MM

#21782





PaintingPro Wall Scraper



#22250

Wall Scraper



#22251

Rubber Sanding Block



#22254

PaintingPro Caulking Gun 9"230mm



#22282

Soft Pu Sanding Block
Size 155mmx90mm

#22252



Round Soft Pu Sanding Block

#22253





HT-EM001/HT-EM002

Electric Mixing Machine

- Powerful 1200W motor gives strong torque for mixing.
- 2 speed gear box setting used for mixing different materials.
- Electronic variable speed keeps a stability torque.
- Standard M14 mixing bar in the market.
- Foldable mixing bar is convenient to pack with the machine (optional).
- Quickly clamping chuck-SDS gives more convenient using the bar, and one adaptor is need to fix the M14 bar(optional).



HT-EM001



HT-EM002



Technical Data

	HT-EM001A	HT-EM001B	HT-EM002A	HT-EM002B
Voltage/Frequency	230-240V~50Hz		230-240V~50Hz	
Input Power	1200W	1400W	1200W	1400W
No-load Speed	100-400min ⁻¹ /150-700min ⁻¹	100-450min ⁻¹ /150-750min ⁻¹	100-400min ⁻¹ /150-700min ⁻¹	100-450min ⁻¹ /150-750min ⁻¹
Dia. of Mixing Bar	100/120/140mm		100/120/140mm	
Working Torque	I.13.01N.m II.8.06N.m	I.19.41N.m II.11.6N.m	I.13.01N.m II.8.06N.m	I.19.41N.m II.11.6N.m
Max. Torque	40N.m	61N.m	40N.m	61N.m
Certificate Type	Z1F-BR01-120-1200	Z1F-BR01-120-1400	Z1F-BR02-120-1200	Z1F-BR02-120-1400
Color Box Size	31.5x21.5x38cm		31.5x21.5x38cm	
Carton Size/Qty	45.5x33.5x39.5cm/2pcs		45.5x33.5x39.5cm/2pcs	
G.W/N.W	14/12kgs		14/12kgs	
Quantity in 20'/40'	20': 930pcs 40': 1860pcs		20': 930pcs 40': 1860pcs	
Carton Size/Qty(BMC)	47.5x43x36.5cm/2pcs		47.5x43x36.5cm/2pcs	
G.W/N.W(BMC)	18/16kgs		18/16kg	
Quantity in 20'/40'(BMC)	20': 750pcs 40': 1500pcs		20': 750pcs 40': 1500pcs	



HT-EM003/HT-EM004

Electric Mixing Machine

- Economic 1050W motor gives powerful torque for mixing
- Electronic variable speed used for mixing different material
- Standard M14 mixing bar in the market
- Foldable mixing bar is convenient for packing with the machine (optional)
- Quickly clamping chuck-SDS gives more convenient using the bar, and one adaptor is need to fix the M14 bar (optional)



Technical Data

	HT-EM003A	HT-EM003B	HT-EM004A	HT-EM004B
Voltage/Frequency	230-240V~50Hz		230-240V~50Hz	
Input Power	1050W		1050W	
No-load Speed	100-700min ⁻¹	700min ⁻¹	100-700min ⁻¹	700min ⁻¹
Dia. of Mixing Bar	100/120mm		100/120mm	
Working Torque	6.05N.m		6.05N.m	
Max. Torque	30N.m		30N.m	
Certificate Type	Z1F-BR03-120A	Z1F-BR03-120B	Z1F-BR04-120A	Z1F-BR04-120B
Color Box Size	31.5x21.5x36.5cm		31.5x21.5x36.5cm	
Carton Size/Qty	45.5x33.5x38cm/2pcs		45.5x33.5x38cm/2pcs	
G.W/N.W	12/10kgs		12/10kgs	
Quantity in 20'/40'	20': 966pcs 40': 1932pcs		20': 966pcs 40': 1932pcs	
Carton Size/Qty(BMC)	47.5x43x36.5cm/2pcs		47.5x43x36.5cm/2pcs	
G.W/N.W(BMC)	18/16kgs		18/16kg	
Quantity in 20'/40'(BMC)	20': 750pcs 40': 1500pcs		20': 750pcs 40': 1500pcs	





HT-EP004

Electric Paint Gun

- Powerful 650W motor for easy operation.
- Nozzle orifice: 1#. 2#. 3# (optional).
- Normal PE bottle or Aluminum bottle is optional.

HT-EP005

Electric Paint Gun

- Powerful 350W motor for easy operation.
- Nozzle orifice: 1#. 2#. 3# (optional).



HT-EP004



HT-EP005



Technical Data

HT-EP004

Voltage/Frequency	230-240V~50Hz
Input Power	650W
No-load Speed	32000min ⁻¹
nozzle orifice	1/1.8/2.0mm--1#
(1# 2# 3# is optional)	2.0/2.5mm --2# 2.0/2.5mm --3#
Certificate type	Q1P-BR04-100
Capacity	800ml
air consumption	1.4m ³ /min
water consumption	180ml/min
air pressure	0.1kg/cm ²
Packing in color Box	35.2x23.2x20cm/1pc
Carton Size /Qty	48.5x37x42cm/4pcs
G.W/N.W	10.2/9.2kgs
Quantity in 20"	1440pcs

HT-EP005

Voltage/Frequency	230-240V~50Hz
Input Power	350W
No-load Speed	30000min ⁻¹
nozzle orifice	1/1.8/2.0mm--1#
(1# 2# 3# is optional)	2.0/2.5mm --2# 2.0/2.5mm --3#
Certificate type	Q1P-BR05-100
Capacity	700ml
air consumption	1.4m ³ /min
water consumption	150ml/min
air pressure	0.1kg/cm ²
Packing in color Box	30x23.5x20cm
Carton Size /Qty	48.5x31x42cm/4pcs
G.W/N.W	9.5/8.5kgs
Quantity in 20"	1680pcs/20"



HT-EP006/HT-EP007

Electric Paint Gun

- 350W motor provide strong enough wind for spraying
- The gun and the motor are combined to one body for easy operating.
- The motor house can be separated while cleaning the gun.
- The gun can be changed economically if too dirty to clean.
- Light body for easy use.
- Soft grip handle for comfortable use.(only EP007)



HT-EP006



HT-EP007



Technical Data

	HT-EP006	HT-EP007
Voltage/Frequency	230-240V-50Hz	230-240V-50Hz
Input Power	350W	350W
No-load Speed	30000min ⁻¹	30000min ⁻¹
nozzle orifice	2.0/2.5mm	2.0/2.5mm
Certificate type	Q1P-BR06-100	Q1P-BR07-100
Capacity	700ml	700ml
air consumption	1.4m ³ /min	1.4m ³ /min
water consumption	150ml/min	150ml/min
air pressure	0.1kg/cm ²	0.1kg/cm ²
Packing in color Box	21×23×25.5cm	21×23×25.5cm
Carton Size /Qty	47.5×43.5×27cm/4pcs	47.5×43.5×27cm/4pcs
G.W/N.W	6.5/5.6kgs	6.5/5.6kgs
Quantity in 20"/40"	2000pcs/20" 4000pcs/40"	2000pcs/20" 4000pcs/40"


PaintingPro™



PAINT BRUSH

ROLLER FRAME AND ROLLER COVER

MASKING TPAE COVERING FILMS




PaintingPro™



PAINT BRUSH

ROLLER FRAME AND ROLLER COVER

MASKING TPAE COVERING FILMS





www.toolchina.com

PaintingPro™



For General Information:



江苏国泰国际集团华泰进出口有限公司
JIANGSU GUOTAI INT'L GROUP HUATAI IMP.&EXP. CO.,LTD
地址: 江苏省, 张家港市, 人民路, 华昌东方广场, 15-16层
ADD:15-16F, HUACHANG ORIENTAL PLAZA, RENMIN ROAD,
ZHANGJIAGANG CITY, JIANGSU PROV. CHINA
TEL:0086-512-58696069,58696068, FAX:0086-512-58696937